

56/50/11
If any man this book do
steal

He shall be sent to the
County Gaole

if tho he wares a whitt
Clock

He shall go up by the
latter

and Hang Down by the
Coape

Wm. J.

Anne Murphy

Her

Book No. 1

of 17:1767

James Murphy

James

This image shows the front cover of an old book. The cover is made of a light brown, textured material, possibly paper or cloth, which is heavily aged and discolored. There are numerous dark spots, stains, and a prominent horizontal crease across the middle. The left edge of the cover is worn and frayed, revealing the underlying binding structure. The overall appearance is that of a well-used, antique volume.

Love & Yours

Char, me Cartie
26/50/A MEDICAL
PRECEPTS
his AND Book
CAUTIONS.

Obser, 15th BY 1764

RICHARD MEAD,

Fellow of the Royal Colleges of Physicians
at *London* and *Edinburgh*, and of the Royal
Society; and Physician to HIS MAJESTY.

Translated from the *Latin*, under the Author's Inspection,

By THOMAS STACK, M. D. F. R. S.

And Assistant to their Secretaries in managing the
foreign Correspondence.

Ἀσχεῖν περὶ τὰ νοσήματα διό' ὠφελείην, ἢ μὴ βλάπτειν.

Hippocr. Epidem. I.

DUBLIN:

Printed for W. SMITH, at the *Hercules* in
Dame-street, and J. EXSHAW at the *Bible*
on *Cork-Hill*. M. DCC. LI.

MEDICAL

RECEPTS

AND

CAUTIONS

29338



Author of the
and of the
and the

Author of the
and the
and the

Author of the
and the
and the

Author of the
and the
and the



P R E F A C E.

I HAVE perswaded myself, that I should perform a work, neither entirely void of use, nor foreign to the duties of my profession ; if I made the public partakers of the principal helps against most diseases, which I had either learned by long experience, or deduced from rational principles. But my purpose is to lay down precepts of the art, and methods of cure, rather than definitions or descriptions of diseases ; and to propose medicines confirmed by practice, not mere conjectures.

jectures. And as it is not my intention to write a complete system of medicine, I shall not strictly confine myself to the usual order observed in medical treatises: for at my leisure hours I have perused my loose papers, and from them have extracted such things, as I thought might prove useful hereafter; at the same time calling in my memory to my assistance for whatsoever I had observed to be serviceable, or prejudicial, in each particular distemper. *For such was the rise of medicine, by the recovery of some patients, and the loss of others, gradually distinguishing pernicious from salutary things* (1). Wherefore I shall not enquire into the very constitution (if the expression may be allowed) of the medical art; nor enter into the dispute, how far it is either *rational* or *empirical*: on which topics I refer my readers to *Celsus*, who has stated the arguments of physicians

(1) *Sic medicinam ortam, subinde aliorum salute, aliorum interitu, perniciofa discernentem a salutaribus. Celsus in Præfat.*

ficians for their respective sects with great candor, and sums up the whole by delivering his own opinion with equal judgment and perspicuity (1). Nor is this little work, which has been often interrupted by, and partly composed amidst, the hurry of business, thrown out as a bait to catch fame. For it has long since been observed by the great parent of medicine, that *our art has acquired more blame than honor* (2). And indeed it is the general temper of mankind, to be excessively profuse of their reproofs, of their commendations extremely parsimonious. But this complaint made in behalf of medicine will probably appear slight, if compared with the following, which he makes in another place: *That the physician has dreadful objects before his eyes, very disagreeable subjects in his hands, and takes great uneasiness to*

A 3 himself

(1) *Ibidem.*

(2) "Εγωγε δοκέω πλείονα μεμψιμοσίαν, ἢ τιμὴν κεν-
 ἀρεῶσθαι τὴν τέχνην. Hippocrates in epist. ad De-
 mocritum.

himself from the calamities of others (1).

Now what can be more humane, or more worthy even of a christian, than to declare, that he feels the calamities of others as sensibly, as if they were his own.

HOWEVER, the very nature of my design compelled me to take notice of the errors of other physicians ; but I have been very careful throughout the work to do it with the same equity, with which I would desire to have my own faults corrected. Our art is frequently obliged to rely on conjectures ; nor is it to be expected that any one person will constantly hit the mark. And therefore I have not been ashamed to acknowledge, and put my readers in mind of some errors, which I have committed either through ignorance, or want of due attention.

For,

(1) Ὁ μὲν γὰρ ἰητρός ὁρᾷ τὰ δεινὰ, διγγάνει το
ἀνδρών, καὶ ἐπ' ἀλλοτρίῃσι συμφορῇσιν ἰδίας καρπῆται λύ-
πας. *Lib. de flatibus.*

For, as *Celsus* says, a plain confession of a real error is commendable, and more especially in that performance, which is published for the benefit of posterity (1). The reader will easily perceive, that I have endeavored not only to express the sense of *Celsus*, but to employ his very words and phrases; or close imitations of them at least, whenever the subject would allow it; and I heartily wish I could have done it more frequently. For what author could I choose to follow rather than him, who selected the best things out of the writings of the *Greek* physicians and surgeons, and rendered the whole into most pure and elegant *Latin*?

To conclude, the reader is desired to take notice, that by the compositions of medicines, which I make use of in this treatise, I mean those of the late edition of the *London Dispensatory*

(1) *Lib. viii. cap. 4.*

Dispensatory (1), unless otherwise signified.

(1) *Pharmacopoeia Collegii regalis medicorum Londinensis*. Lond. 1746. 4°. And the translator of this work has taken the *English* names of the abovementioned compositions from Dr. Pemberton's translation of the said *Pharmacopoeia*. Lond. 1746. 8°.



CON-

CONTENTS.

| Chap.. | Page. |
|---|-------|
| INTRODUCTION. <i>Of the human</i> | |
| <i>body</i> | I |
| I. <i>Of fevers</i> | 12 |
| Sect. i. <i>Of fevers in general</i> | ib. |
| Sect. ii. <i>Of the crises of fevers</i> | 13 |
| Sect. iii. <i>Of continual fevers</i> | 15 |
| Sect. iv. <i>Of fevers attended with</i> | |
| <i>eruptions</i> | 17 |
| <i>The miliary fever</i> | ib. |
| Sect. v. <i>The petechial fever</i> | 22 |
| Sect. vi. <i>The erysipelas</i> | 23 |
| Sect. vii. <i>Of particular fevers</i> | 27 |
| <i>A pleurisy</i> | ib. |
| Sect. viii. <i>Of intermitting fevers</i> | 28 |
| Sect. ix. <i>Of epidemic fevers</i> | 32 |
| Sect. x. <i>Of slow or hectic fevers</i> | 35 |
| II. <i>Of</i> | |

X C O N T E N T S.

| Chap. | Page |
|--|-------|
| II. <i>Of the diseases of the head</i> | 43 |
| Sect. i. <i>The apoplexy</i> | ib. |
| Sect. ii. <i>The palsy</i> | 46 |
| <i>St. Vitus's dance</i> | 49 |
| Sect. iii. <i>The epilepsy and vertigo</i> | ib. |
| <i>The tetanus</i> | 51 |
| III. <i>Of madness</i> | 52 |
| IV. <i>Of the quinsy</i> | 71 |
| V. <i>Of the diseases of the breast</i> | 75 |
| <i>Of the asthma</i> | ib. |
| VI. <i>Of the diseases of the heart</i> | 80 |
| VII. <i>Of the diseases of the stomach</i> | |
| <i>and intestines</i> | 83 |
| Sect. i. <i>Of a looseness</i> | 84 |
| <i>The bloody flux</i> | ib. |
| Sect. ii. <i>Of the iliac passion</i> | 87 |
| Sect. iii. <i>Of worms</i> | 89 |
| VIII. <i>Of the dropsy</i> | 95 |
| IX. <i>Of the diseases of the liver</i> | 121 |
| Sect. i. <i>The jaundice</i> | ib. |
| Sect. ii. <i>The diabetes</i> | 127 |
| X. <i>Of the diseases of the kidneys</i> | |
| <i>and bladder</i> | 130 |
| XI. <i>Of the diseases of the eyes</i> | 140 |
| | Sect. |

C O N T E N T S. xi

| Chap. | Page |
|---|-------|
| Sect. i. <i>Of the gutta serena</i> | 141 |
| Sect. ii. <i>Of the cataract</i> | 146 |
| Sect. iii. <i>Of the albugo</i> | 148 |
| <i>The force of odors</i> | 150 |
| XII. <i>Of the gout</i> | 153 |
| XIII. <i>Of pains in the joints</i> | 160 |
| XIV. <i>Of the diseases of the skin</i> | 164 |
| <i>Of the leprosy</i> | ib. |
| <i>Of the itch</i> | ib. |
| XV. <i>Of scrophulous diseases</i> | 168 |
| XVI. <i>Of the scurvy</i> | 173 |
| XVII. <i>Of the hypochondriacal disease</i> | 181 |
| XVIII. <i>Of the affections of the mind</i> | 185 |
| XIX. <i>Of the diseases of women</i> | 193 |
| Sect. i. <i>The suppression of the menstrual discharges</i> | ib. |
| Sect. ii. <i>The excess of the menstrual discharges</i> | 195 |
| Sect. iii. <i>The fluor albus</i> | ibid. |
| Sect. iv. <i>The hysteriacal disease</i> | 197 |
| Sect. v. <i>Difficult birth</i> | 199 |
| XX. <i>Of venereal diseases</i> | 200 |
| XXI. <i>Of</i> | |

xii CONTENTS.

| Chap. | Page |
|--|------|
| XXI. <i>Of diseases, which come up- on, or are changed into, others.</i> | 203 |
| CONCLUSION. <i>Of the regimen of life.</i> | 207 |



MEDICAL



MEDICAL PRECEPTS
AND
CAUTIONS.
INTRODUCTION.

Of the human body.

BEFORE I begin to treat of the diseases of the human body, it may not be improper to give the reader a succinct idea of its nature in state of health.

WHEREFORE, in order to form a just notion of the body of man, it ought to be
B considered

considered as a hydraulic machine contrived with the most exquisite art, in which there are numberless tubes properly adjusted and disposed for the conveyance of fluids of different kinds. Of these the principal is the blood, from which are derived the several humors subservient to the various uses and purposes of life; and in particular that subtil and remarkably elastic fluid, generated in the brain, and known by the name of *animal spirits*, the instrument of sense and motion: which functions it never could be capable of executing, were it not contained in proper organs. For this purpose the almighty Creator has formed two sorts of fibres, the fleshy and the nervous, as receptacles for this active principle; and each sort of these is partly interwoven in the membranes of the body, and partly collected into bundles or cords, and attached to the limbs, for performing their motions with the assistance of the bones.

BUT this wonderful machine, incapable of putting itself into motion, was still in want of a first mover: wherefore the *mind* is placed over it, as a ruler and moderator, and is the efficient cause of all sense and motion. For whether this principle resides in the head, as in its citadel; or whether it

has

has no fixed place, but is dispersed all over the body, according to the opinion of *Xenocrates*, a disciple of *Plato* (1); it commands within us, and directs the whole. Now, our motions, as well as our senses, are twofold, internal and external: the internal have not only the vital parts, as the heart, lungs, stomach and intestines, subject to them, but likewise all the nervous membranes.

MEDICAL writers generally make a wide difference between the motions of the vitals, and those of the rest of the parts; imagining that the former, after they are once begun in the first formation of the individual, necessarily continue even against our will; but that the latter are performed at the discretion of the mind, as circumstances require. But this is a false notion, into which they are deceived by observing that these natural actions continue without any sensible intermission, even when we are little or not at all conscious of them, thro' the whole course of life: whereas, if the thing be narrowly looked into, it will manifestly appear, that the reason why these vital motions seem not to be governed by the mind, is, because being incessantly accustomed to them, we perform them so quick and with-

B 2

out

(1) See *Lactantius De opificio Dei*, cap. 16.

out attention, that we cannot easily check and hinder them from performing their respective offices. Something of this kind we experience, when, looking at the sun, or any body that strikes the eye too forcibly, we wink whether we will or not : and yet no body doubts, but that those motions are effected by the direction of the mind. I could bring several other examples to confirm and illustrate this sentiment ; but to avoid being tedious, I choose to refer the reader to a dissertation of Dr. *Porterfield*, who has handled this subject with great perspicuity, (1) as I have said in another place (2).

BUT this power of the mind is most remarkably perceptible in those fevers, which are called pestilential. For in these one may observe, that the mind hurries to the assistance of the laboring frame, fights against the enemy, and, with the aid of the animal spirits, excites new motions in the body (tho' we may be insensible of it) in order to expel the poison, which is blended with the humors, thro' every outlet. And hence very great physicians have defined a
disease

(1) See *Medical Essays, published at Edinburgh, Vol. III. Essay 12. and Vol. IV. Essay 14.*

(2) *Disc. on the Small Pox, page 19.*

disease to be a struggle of nature in defence of the health of the individual.

IN this manner it is, that care is taken of the whole machine, when in danger. But it is likewise necessary sometimes to have a regard to some particular part; nor does the mind fail of executing its office in this case. Thus if a topical disorder has happened any where; to prevent the part from being overloaded and pained, nature has provided a passage for the blood and humors by the adjacent vessels. This is effected by that admirable disposition of the body, whereby the blood-vessels are interwoven and spread throughout every part; so that the blood may pass, not only from vein to vein, but also from the small arteries into others. And this mechanism is peculiarly apparent, where obstructions are most to be feared; as in the head, abdomen, and the long winding ducts of the organs of generation.

Now such a construction of our frame is the more necessary, because, even when a disease is not in the case, the very actions and customs of the body sometimes require the humors to be conveyed with greater

freedom thro' some passages than thro' others. Hence the same blood-vessels become wider or narrower in different persons, according as their manner of living has occasioned these vessels to be more or less dilated by the perpetual motions of the fluids. Thus in persons addicted to drinking, the arteries in the head ; in people given to venery, those in the genitals are bigger than in the sober and continent.

AND this additional remark may not be improper here, that it is almost impossible, but that the very make of the animal parts, tho' extremely convenient for the purposes of life, must be attended with some inconveniences in particular cases ; as in the fabric of the universe, thunder, storms, inundations, plagues, and other such calamities necessarily happen sometimes in some places. But as the divine Creator of the macrocosm has given us natural means of guarding against these evils ; so he has afforded proper assistance against those which affect our microcosm.

GEOMETRICIANS have been long intent on contriving a machine, that may be endued with perpetual motion ; but have constantly lost their labor. For in handy-works
of

of this kind some portion of the moving power is lost every instant, by reason of the friction of the parts, whereby it requires to be perpetually renewed. Wherefore it is God alone who can complete such a machine ; and was pleased that our body should be a fabric of that sort, by disposing all its powers in such a manner, that they should form a kind of circle, in which at the same time that they perform their respective functions, they should constantly and mutually repair each other.

HENCE it manifestly appears, that the animal machine is made, not by parts, but altogether ; seeing it is impossible, that a circle of motions, some of which depend on others, be compleated, without all their instruments being in their proper places. For example, how can the heart contract, to push the blood forward, without the assistance of the animal spirits ; or the spirits be secreted without the brain ? And so of all the other principal parts. Wherefore the *animalcula*, which by the help of microscopes we discover swimming in the *semen masculinum*, are really little men ; which being received into the womb, are there cherished as in a nest, and grow in due time to a proper size for exclusion. There-

fore Hippocrates said very justly: *In the body there is no beginning, but all the parts are equally the beginning and end* (1).

To what has been hitherto said let me add, that every animal machine is of such a nature, that there is a sort of infinity in its constituent parts; by which expression I mean that their fibres are so extremely small, that we cannot discover the ultimate *stamina*, even by the assistance of the best microscopes. Had it been otherwise, aliment would not be conveyed to every individual part of the body, nor could the necessary functions of life be performed.

WHEREFORE, upon the whole, health consists in regular motions of the fluids, together with a proper state of the solids; and diseases are their aberrations: which as they are numberless, and one often produces another, it is next to a miracle, that the animal body should be able to hold out to extreme old age. And hence indeed plainly appears the extensiveness of the art of medicine, and how much superior it is to all other arts.

Now

(1) Εμοὶ δοκεῖ ἀρχὴ μὲν οὖν ἑδεμία εἶναι τῷ σώματι, ἀλλὰ πάντα ὁμοίως ἀρχὴ καὶ πάντα τελευτή. *De Locis in homine, initio.*

Now this machine, the only one that is endued with perpetual motion, was formed by the almighty Geometrician to last a longer or shorter space of time, according to the different genius's of living creatures. For a body, such as ours, cannot possibly retain life for ever ; which is not difficult to account for. Because the membranous fibres of the blood-vessels, which were made elastic, in order to drive their included juices forward, become gradually harder, and at length rigid ; whence they are rendered incapable of executing their offices, and the secretions of the several parts are diminished by degrees. And that the useless juices are not sufficiently carried off by perspiration in old age (a business very material to the continuance of life) manifestly appears from dissections of the bodies of very old people ; the insides of their arteries being sometimes ossified here and there, whereby they had almost entirely lost their springiness ; and the orifices of the natural ducts are often observed to be quite cartilaginous.

IN confirmation of this truth I shall give two remarkable examples, the first of which is taken from our own history. *Thomas Parr*, a poor laboring man, was born in

B 5

a health-

a healthful part of *Shropshire*, where he vigorously continued his daily labor to the age of one hundred and thirty years: but afterwards having lost his sight, he was at length brought to *London*; and having resided there for some time, in the year MDCXXXV he died at the age of one hundred and fifty two years and nine months. His body was opened by the immortal *Harvey*, who found all the parts in a sound state except the brain, which was *extremely firm and solid to the touch* (1). Thus were the vessels in that part grown hard by age.

THE other example is recorded in our *Philosophical Transactions*. It is an account of a worker of the mines in *Switzerland*, who died in MDCCXXIII, aged one hundred and nine years and three months, sent to the Royal Society by Dr. *John James Scheuchzer* of *Zurich*; who upon dissection found the exterior membrane of the spleen beset with white spots, at first sight resembling variolous pustules; but they were of a cartilaginous hardness, and raised somewhat above the surface of the rest of the membrane: the articulations of the ribs with the *Sternum*


(1) See the dissection of *Thomas Parr*, at the end of Dr. *Bell's* book *De Ortu & natura sanguinis*.

sternum were quite ossified ; the tendon, by which the arteries are inserted into the heart, was either boney, or cartilaginous at least ; the semilunar valves, especially of the *aorta*, were plainly cartilaginous ; and the *dura mater* was about three times its usual thickness, and like leather (1).

BUT it is time to pass to the defects of this machine, which disturb and destroy its motions.

(1) *Phil. Transf.* N^o 376.





CHAPTER I.

Of fevers.

SECTION I.

Of fevers in general.

ALL fevers, of what kind soever, are attended with a preternatural heat of the blood and humors; and this impairs the bodily strength, and the vital actions. Wherefore nature raises all her powers, and engages the disease, as a mortal enemy: and if she gets the better, she drives out the cause of the disorder by such outlets as she is able. This action is by physicians called the *crisis* of the disease. Now, what I would have here understood by the word *nature*, as also some things relating to the different sorts of fevers, I have explained in another place (1), and at the same time shewn, in what sense physicians, and particularly *Sydenham* said, *that a disease is nothing else but a struggle of nature, endeavouring by all means to exterminate*

(1) See *Discourse on the small pox*, chap. 2.

minate the morbid matter, for the recovery of the patient (1). Wherefore I will premise some few thoughts on the crises or solutions of fevers.

SECTION II.

Of the crises of fevers.

WHEREAS there is no fever cured without some considerable evacuation, raised either by nature or by art; the physician ought carefully to observe, which way nature seems to intend the expulsion of the morbid matter, and assist her by all possible means. Now this expulsion is very frequently made through several outlets of the body at a time, and an evacuation by one outlet more or less checks that by another: thus a looseness checks sweat, and *vice versa*. Wherefore it is the physician's business to discern, what evacuation is most likely to be of service, and so to promote this as to give the least interruption possible to any other: for any one evacuation is not equally suitable to all persons, both on account of the difference of constitutions, and of diseases;

(1) *Observat. medicæ circa morborum acutorum historiam*, at the beginning.

diseases; altho' evacuations through every emunctory are sometimes necessary, as we find by experience in malignant fevers.

BUT of all solutions of the disease the most desirable is by sweat, next to that by stool and urine; the worst is by a hæmorrhage, whether it proceed from the nose or from any other part: because it indicates, that the blood is so far vitiated, that no proper separation of the humor can be made.

LASTLY, some fevers terminate in abscesses formed in the glands, which if they happen in the decline of the disease, and suppurate kindly, are salutary. Wherefore the suppuration is to be forwarded by cataplasms or plasters, and sometimes by cupping on the tumor; and then, if the abscess does not break spontaneously, it ought to be opened either with the knife or a caustick.

AT this time this rule of practice is generally right, not to exhaust the patient's strength by evacuations of any kind. And yet in some cases there is a necessity for drawing a little blood; as when the humors are in great commotion, and the heat
excessive;

excessive : for this remedy prudently administered makes the tumor ripen kindly, because nature has always a great abhorrence of a turbulent state.

SECTION III.

Of continual fevers.

THERE is no disease, to which the useful precept, *Principiis obsta*, is more applicable than to fevers : because in the beginning it is generally easy to do good ; but when the distemper has gained ground, the cure is often attended with difficulty. For the *opportunity is fleeting* (1) ; and a medicine which early administered might have prevented the impending danger, frequently fails, when the bodily strength is exhausted by the violence of the disease. However, a patient, who applies late for assistance, is not to be abandoned to his fate ; since it is certain, that those diseases, which in old times were ascribed to the divine wrath, (2) are frequently cured by natural means, even when they appear most desperate. Wherefore the physician ought to lay it down as an
absolute

(1) Ὁ καὶ ἀρχῇ ἐκλύει. *Hippocr. Aphor. 1. Sect. 1.*

(2) See *Celsus* in his Preface.

absolute rule, never to be wanting to his duty.

AND first, as blood-letting is a most excellent remedy in the beginning of all fevers; if it has happened to be neglected for some days, let us consider, whether it is still proper to be ordered.

IN case of intolerable pain in any part of the body, of difficulty of breathing, or a *delirium*, blood is to be taken away, according to the patient's strength; with the lancet, if he is able to bear it; if too weak, by cupping; but if excessively so, by leeches. And if this may be done, when the disease is got to the highth; it ought for stronger reasons to take place in the beginning. And let me observe by the bye, that leeches are often of vast service in a *delirium*. I have also sometimes found by experience, that pieces of lambs lungs applied warm to the head, have carried off the phrenzy, by the exsudation of the noxious or superfluous humor.

BUT in order to a clearer comprehension of what I have to offer on this distemper, I will enumerate and briefly explain its principal kinds; leaving the reader at liberty

ty to consult the medical writers, especially *Celsus* and his imitator *Lommius*, who have treated this subject professedly, concerning the management of the sick, his diet, &c.

SECTION IV.

Of fevers attended with eruptions.

FEVERS attended with eruptions require particular attention. As for the small-pox, measles, and plague, I have already published my thoughts on them in separate treatises. Of the rest the chief is

The miliary fever.

THERE is no fever, that puts on more various appearances than this. Pustules, rough to the touch, break out, sooner or later, all over the body; sometimes red, sometimes whitish, and again both sorts intermixt; at one time smaller, at another larger and more elevated, and of a bad smell. Sobbing and anxiety about the heart are very frequent symptoms, which are often followed by a *delirium* and convulsions. The disease runs into a considerable length: and if it happens to end too soon, without a sufficiently perfect *crisis*, it

often

often brings on a bad habit of body. The red pimples are not so dangerous as the whitish ; and the more lively their colour, they are the safer. Hence it appears that this fever is more owing to a defect in the humors, and the animal spirits in particular, than to any bad quality of the Air ; and that it requires different methods of cure according to its different circumstances.

BUT of what kind soever the pustules are, blood is to be drawn in the begining, if the Patient has strength to bear it ; unless he be actually in a sweat, in which case blood-letting is either to be omitted, or at least to be put off for a day or two, or some other convenient time. Now red pustules bear bleeding much better than the whitish : and though in both sorts blisters are serviceable, yet they are more necessary in the latter ; and they are to be applied to the neck, head, and all the limbs, at proper distances of time. After all, I would advise the physician always to bear in mind, that the more sparingly blood has been drawn, the more happily the disease generally terminates : for when the strength has been exhausted by evacuations toward the latter end, the eruption sinks in, and the patient dies.

NATURE's endeavors to expel the morbid matter through the skin are to be assisted by moderately cordial medicines. Of this tribe the most proper are *the bezoardic powder, the compound powder of contrayerva, and the cordial confection*; adding nitre, in case of an inflammation: and this salt may be very advantageously joined to cordial medicines in almost all malignant fevers, at least in the beginning. Toward the decline, warm bathing is sometimes serviceable, in order to bring forth the remains of the pustules.

BUT if, either at the highth, or on the decline of the fever, the only appearance of an eruption is a vast number of pellucid vesicles, so small as hardly to be seen; it is not safe to persist too long in the use of internal medicines of this tribe; unless the length of the distemper has so far weakened the patient, as to render even more powerful cordials necessary. For such little roughnesses of the skin are not able to bring on a good *crisis*, but on the contrary generally denote a difficult and tedious illness: wherefore, without discontinuing the blisters, the cause of the disease is to be carried off by other ways, especially through the
intestinal

intestinal canal by gentle purges of *rheubarb*, or *manna* and *Glauber's salt*.

It is to be observed, that this disease is not always terminated by any one sort of *crisis*. It has sometimes one sort, sometimes another : and in some cases several sorts together ; as I have already said frequently happens in other malignant fevers. Thus at the same time that there are other discharges of the morbid matter, a thrush sometimes breaks out, and spreads all over the mouth and throat. This commonly begins with a hiccup : and if it be whitish, and very moist, and occasion a plentiful spitting ; it is so far from portending any great danger, that it is a sign of the distemper ending happily ; but if it be of the black kind, and dry, and the spittle tough and little in quantity ; it is of fatal omen, as it indicates the mouth and throat choaked up with slimy phlegm. In these cases it is proper to use gargles made of *barley water* and *syrup of mulberries*, or some such other syrup, or the *pectoral decoction* : for repellents of all kinds are to be carefully avoided.

It may possibly seem strange to some, that *Sydenham* prescribed the *bark* in this fever andt he *aphibæ* attending it, and says, he
always

always found it to answer his expectations (1). But this was not a rash practice in that sagacious physician: for this fever often intermits, when the *aphtæ* do not appear; but it more frequently ends upon their going off. In both cases this excellent antidote is of very great service. And in justice to the memory of that great man, who had accustomed himself, after the example of *Hippocrates*, to observe the returns of epidemical diseases, and found that they varied in the same seasons of the year according to the diversity of the weather; I must observe, that he was the first among us who described this fever: which, he says, took its rise here in the month of *February* MDCLXXXIV. after the long severe frost of the preceding winter. Hence it is probable, that it arose from the acrimony of the humors induced by the constriction of the fibres of the skin from cold, and the consequent diminution of perspiration.

(1) See his *Schedula monitoria*.

SECTION V.

The petechial fever.

THE *petechiae*, from which this fever has its name, are broad, red spots, like the bites of fleas, not rising above the surface of the skin. When they are livid or black, they are of very dangerous prognostic : because they are really so many little gangrenes ; and therefore the more numerous they are, the more their consequence is to be dreaded.

THE common practice of giving hot medicines in the beginning of this distemper, in order to raise sweats, is quite wrong. It is much the safer way to check the gangrenous disposition of the humors by the *bezoardic powder*, or rather the *compound powder of contrayerva*, with *nitre*, as is above-mentioned ; or to assist nature with the *cordial confection* dissolved in *simple alexeterial water* : and also to acidulate the patient's drink with *dulcified spirit of nitre* ; to repair his strength with *Rhenish wine* ; and in fine a very proper drink will be *barley water* with *juice of lemons*. And all these liquors are to be drank plentifully. It will likewise be of use sometimes, to administer
 some

some doses of the *calx of antimony* and *bezoardic powder mixt*, in order to provoke sweat : but the *calx* should not be too much washed. Yet it is necessary to admonish, that it is not an uncommon case, especially towards the latter end of the disease, that the patient's weak low state requires warmer cordials; such as *Virginia snake-root*, *contrayerva root*, the root of *wild valerian*, *saffron*, and the like. And infusions of these in water will be far more convenient than their powders; especially if they be mixt with a small quantity of distilled vinegar.

SECTION VI.

The erysipelas.

GREAT attention is to be given to that fever which is accompanied with an *erysipelas*. For in this besides the pain, thirst and restlessness, which the patient suffers; the pustules on various parts of the body sometimes run into gangrenes.

WHEREFORE the first thing to be done, is, to draw blood pretty plentifully; and then to purge once and again with gentle cathartics, as *infusion of senna with manna*. For such only are proper in fevers. And indeed there

there is no acute fever, that bears repeated purging better than this, especially when the inflammatory tumor has seized the head: for the humor spreads very fast, and soon gains the neighbouring parts.

BUT it is dangerous to apply hot fomentations, in order to discuss the morbid matter; and much more so, to repel it with cooling ointments or liniments. But if the skin in any part be gangrened, that part is to be fomented with a decoction of *bitter herbs* mixt with *camphorated spirit of wine*; and afterward a cataplasm of *oat-meal* boiled in *strong beer* is to be laid on warm, and to be renewed as oft as is found necessary.

AND to give this caution once for all; not only in acute diseases, but in several chronic, which are attended with pustules that suppurate, it is safer and better, unless the skin is the sole seat of the ailment, to encourage the eruption by gentle means, or at least to suffer it to come forth for some time (that is, as far as the patient can bear the uneasiness) than either to repel, or purge off the humor by other outlets. For there is in every kind of vicious humor somewhat peculiar to itself: and as they generally
come

come forth by way of *crisis*; how much soever they may be diminished, yet they are rarely evacuated out of the body, with relief to the sick, by any other passages than those pointed out by nature.

As to internal medicines, those which I have recommended in eruptive fevers, are the most proper in this.

I CLOSE this essay on malignant fevers, with a few remarks on three other celebrated medicines, viz. *camphire*, *spiritus Mindereri*, and *musk*. And it is worth remarking that they are all powerful sudorifics.

CAMPHIRE is vastly extolled by many. And indeed, not to mention other authors, that experienced physician *Riverius* has given a case or two, in which it was of signal service (1). However it is worthy of observation, that it was not then exhibited alone, but joined with cooling medicines (agreeable to the caution I gave, when hot medicines are given in petechial fevers :) for camphire is very hot. Wherefore the most convenient way of giving it is this.

C

TAKE

(1) See *Observat. medic. centur. ii. obs. 18.*

The Erysipelas.

TAKE of *camphire* one drachm;
grind it with a little *rectified spirit of wine*; then mix it thoroughly with
half an ounce of *double-refined sugar*:
and afterward pour on it gradually
one pint of *bot vinegar*.

FOR thus that medicine, which is otherwise apt to create nauseating, is rendered more agreeable to the stomach, and better adapted to the disease.

UPON the same principles *Mindererus's spirit* (1) is likewise of excellent use in all putrid fevers.

IN FINE, I have more than once experienced the good effects of *musk*, especially when convulsions come on: and thus I order it.

TAKE of *musk*, the *cordial confection*, and *cinnabar of antimony*, each ten grains; mix, and with a little syrup make a *bolus*, to be repeated at proper intervals.

SECTION

(1) Of the *Edinburgh Dispensatory*.

SECTION VII.

Of particular fevers.

THOSE fevers, which are accompanied with an inflammation of any particular parts, require a treatment suitable to those parts. I instance in

A pleurisy.

IN which, after drawing as much blood as is necessary, draughts with *fresh-drawn linseed oil* are of great service for easing the cough; *nitre* for allaying the heat; for dissolving the sily blood obstructing the small canals, *wild goat's blood* and *volatile salts*: and lastly a blister laid on the part affected, in order to draw forth the peccant humor. The advantage of this external remedy I first learnt from *Sir Theodore Mayerne's* practice (1); and I have for many years past used it with good success. In fine, toward the decline of the disease, when the inflammation is abated, it will be proper to purge the patient gently.

C 2

BUT

(1) *De morbis internis Syntagma primum, Cap. v. De pleuritide.*

BUT I must not omit to take notice, that a purulent abscess or *empyema*, from an inflammation of the exterior membrane of the lungs, and its adhesion to the *pleura*, is sometimes formed in this disease; and more frequently still in a peripneumony. In this case, if the tumor points outward, a caustic should be applied to it, to let out the matter: and the ulcer is to be kept open during life. For I have seen instances, where, upon healing it up; and consequently stopping the drain, the patient died in a little time.

S E C T I O N VIII.

Of intermitting fevers.

THAT an intermitting fever is not carried off by the *Peruvian bark* with a proper degree of certainty, without premising a vomit or a purge, or both, is not unknown to physicians; but to join some mild cathartic to this remedy, will perhaps appear new in practice. For it is commonly thought among us, that this medicine has little or no effect, unless the patient be costive, while he takes it. But long experience has taught me, that it is quite necessary to add a small quantity of *rheubarb* to this febrifuge; so as as to procure two stools at least

least every day. Nor have I ever observed that this procedure has lessened its virtue, but rather rendered it more efficacious. For although strong irritating cathartics raise such disturbances in the blood and humors, as make the proper medicines ineffectual; yet moderate purging is attended with this good effect, that the stomach better digests whatever is taken in, whether medicines or food; whereby their finest and most wholesome parts pass into the mass of blood.

THE occasion of my contriving this method of giving the *bark* was this. Near twenty years ago intermittent fevers, of a worse sort than ordinary, were very rife, and frequently terminated in a bad habit of body, and even in a dropsey; which consequences when I had maturely considered, I thought that this method might probably guard against them; nor was I deceived in my opinion. And the success, with which it was attended, encouraged me to pursue it, whenever this disease attacked bodies loaded with gross humors. But I was well aware of the danger of purging too much. Wherefore my custom is, after having given a drachm or two of *rheubarb* in this manner, to omit the purgative, and continue the use of the

C 3

febrifuge

febrifuge alone. And besides the advantages already recited I made this observation, that when the disease is carried off by this method, there is always less danger of a relapse.

Now, with regard to this noble medicine, I have this one admonition to give, that it is not proper in any other fevers but those of the intermittent kind. For in continuals, it is so far from being of service, that it does much mischief; and it is pernicious also in those hektics, which are accompanied with ulcers of any of the internal parts; though they often have periodical returns, and much resemble quotidian or tertian intermittents. Whence it may not perhaps appear an improbable conjecture, that this medicine operates on the bile alone; for that the bile has a considerable share in causing intermittent fevers, I have not the least doubt.

HOWEVER, it sometimes happens that this febrifuge fails in true intermittents; which failure is generally owing to a bad habit of body. Wherefore the physician should use his best endeavors to discover, in what part the fault lies; and it will be commonly found to be in the *viscera* and glands

glands of the *abdomen*. Upon this account it will be necessary to prescribe some purges, and sometimes vomits ; and in the intermediate days deobstruents and stomachics, the best of which are *aromatic bitters* and preparations of *steel*. And for the same reason it is, that quartans are of more difficult cure than any other intermittents : for in these the blood and humors are inert and excessively viscid ; so that there are two diseases to be conquered together, the bad habit of body, and the fever : which is generally done effectually, by joining *Virginia snake-root* and *steel* with the *bark*. However it may not be improper to take notice, that in some cases where the *bark* did not answer, I have taken off intermitting fevers with a powder composed of *chamomile flowers*, *myrrh*, *salt of wormwood*, and a little *alum*.

BUT there is more danger attending that sort of intermitting fever, by the *Greeks* named *ημισπρωταῖος*, that is, *semitertian*. This fever returns every third day ; and of forty eight hours the fit commonly takes up about thirty six, more or less ; nor does the fever go off entirely, but only remits between the paroxysms.——Hence *Galen* was right in saying, that it was compound-

ed of a continual quotidian and an intermitting tertian (1).

Thus a particular regard is due to this disease, which seems to be caused by an inflammation of some internal parts, accompanied with obstructions from bilious humors and too viscid lymph. Wherefore blood is to be drawn once or oftner, according to the patient's strength: and gentle purgatives, such as the *diuretic salt*, *manna* with *Glauber's salt*, and the like, are to be ordered and repeated at proper distances of time. Nor ought we to be hasty in giving the *bark*; for fear it should increase the inflammation by adding to the obstruction of the *viscera*, and bring on a hectic. It will be much safer, first, to order the saline draughts, with *juice of lemons*, *salt of wormwood*, and *simple cinnamon water*, to be taken frequently.

SECTION IX.

Of epidemic fevers.

EPIDEMIC fevers are caused by some fault in our ambient air; and that is chiefly

(1) *De different. febr. Lib. ii. Cap. 7.*

ly owing to the excess of heat, cold, drought, or moisture, or to the unseasonable vicissitudes of these qualities.

IN *Greece* and *Asia*, where the seasons are generally uniform, and the winds pretty regular from certain but different quarters in the different months of the year, it was easy for men of sagacity to observe the changes of the weather, with their good and bad effects. And on a long use of this method of observation was built the art of prognostic in diseases; wherein *Hippocrates* the father of physic first excelled.

BUT in our climates such is the inconstancy of the weather, and so many are the causes that raise different and even contrary winds on a sudden, that it seems impossible to erect any solid superstructure on that foundation. And accordingly *Sydenham*, who, in imitation of *Hippocrates*, attempted to describe the fevers of each respective year, and to account for their differences from the difference of the weather and seasons, found at length “ that he had made
“ no progress in discovering the causes of
“ epidemical diseases by observing the manifest qualities of the air: as having remarked that in different years, which
“ agreed perfectly well in the visible temperature

“ perature of the air, the reigning diseases
 “ were very different, and so on the con-
 “ trary: and likewise that there are various
 “ constitutions of years, which depend not
 “ on heat, cold, drought or moisture, but
 “ on some occult and inexplicable altera-
 “ tion in the very bowels of the earth (1).

Now, this matter, in my opinion at least, stands thus: that the manifest qualities of the air have a considerable share in producing epidemic diseases, is a point that admits of no doubt; but there are other conjunct causes, which alter the force of those qualities, either by encreasing or diminishing them. These chiefly spring from the earth, as *Lucretius* wisely said,

—ubi putrorem humida nata est,
Intempestivis pluviisque et solibus ieta (2).

*When she's grown putrid by the rains, and
 sweats
 Such noxious vapors, press'd by scorching
 beats* (3).

Now

(1) *Obs. med. Cap. ii. De morbis epidemicis.*

(2) *Lib. vi. v. 1099.* (3) *Creech's Lucretius, B. vi. v. 1057.*

Now as this terrestrial putridity is chiefly occasioned by rotted vegetables, and sometimes also by the dead bodies of animals, and by minerals; so the waters, especially of lakes and morasses, which have their plants and animals, in the same manner frequently exhale pestilential vapors, which infect the circumambient air. In this class may be ranged, tho' rarely happening in our climes, inundations, earthquakes, eruptions from mountains, and all other remarkable and uncommon *phenomena* of nature, which are capable of filling the air, we breathe, with particles offensive to animal life. For these affect our bodies, and prepare them for the easy reception of diseases.

SECTION X.

Of slow or hectic fevers.

SLOW fevers, commonly called hectic, are owing to so many different causes, that they may well seem, not to be the same, but different diseases. Of all this tribe the most pernicious are those, which arise from an ulcer in any principal part of the body, the lungs especially, by the purulent matter mixing with the blood and disturbing its natural motion.

Now

Now it is to be observed, that the persons most liable to these exulcerations of the lungs, are such as had been afflicted with scrophulous disorders in their infancy or youth. To which purpose I remember the experienced Dr. *Radcliffe* was wont to say, that pulmonary consumptions in this and the colder countries are generally scrophulous. And indeed, in the dissection of bodies dead of consumptions, we very often find the lungs beset with tubercles or indurated glands, which had suppurated and thrown off purulent matter.

MEDICAL writers have accurately described the various stages of this disease, as they succeed each other; but they have not taken sufficient notice, that some of its first causes have their periods or returns. And yet it is of great consequence to observe and prevent these periodical returns, as much as possible. Thus we see several persons at certain or stated times seized with a spitting of blood, or a defluxion of thin serosities on the lungs, and sometimes with bilious vomitings. In all these cases the *bark* is of service, if joined with pectorals, and given before the expected return of the disorder: which rule holds equally good
in

in other hæmorrhages. But, when the lungs are actually ulcerated, this same medicine is very prejudicial ; as shall be taken notice of anon.

IN ulcers of the lungs physicians particularly recommend a *milk* course, as having the double advantage of being food and physic. But this practice is liable to some caution ; because some people have a natural aversion to milk. Moreover, in headaches, acute fevers, and excessive thirst occasioned by them ; and likewise in flatulencies, in bilious loosenesses, and very bloody stools, milk ought always to be deemed a poison (1). Now we generally give the preference to asses milk, though less nutritive ; because it is more cooling and detergent. But when it cannot be conveniently had, whey made of cows milk, or even of goats milk, may be substituted in its room, especially if the goats have been fed on fragrant herbs : but cows milk itself, although diluted as usual with barley-water, is very frequently inconvenient. And the whey may be rendered more suitable to the disease by infusing stomachic and carminative herbs in it. But it happens unfortunately sometimes, that when milk is extremely

(1) *Hippocr. Aphor. Sect. v. 64.*

tremely necessary for the body, such is the laxity of the intestines, that they cannot bear it. In this case the milk may be medicated in this manner. Take of *red roses* dried, of *balaustins*, *pomegranate rind* and *cinnamon*, each one drachm; boil them in a pint of *cow's milk*. When the decoction begins to boil, pour a little cold water into it, to make it subside: repeat this process several times, till you have used a pint of water, and till the milk and water together are reduced to a pint. Then strain off the liquor, sweeten it with sugar, divide it into convenient draughts, so that the patient may take the whole quantity every day. This diet will answer the double intention, of affording nourishment, and restraining the looseness; without putting the least obstacle to the use of other food or medicines.

Now, it is of the utmost consequence, to attempt the cure of this dreadful disease early; and as it arises from inflammation, it requires not only one, but several bleedings. If the blood be thick and black, or sily, it is called bad blood, and is thought to indicate further bleeding; but if it be red and florid, it is esteemed good, and the lancet is no more used. But this notion is apt to lead

lead into mistakes : for it is not uncommon to see blood drawn, when in the highest effervescence, extremely florid, and at the same time thick and sily : in which case bleeding ought to be repeated till its redness and silyness are diminished ; which may be done without danger. It will possibly be thought a rash practice to draw blood, even when the patient is much wasted in his flesh, and very weak. But it is better to try a doubtful remedy than none ; and a temporary lessening of the strength is of service, when attended with a removal of part of the cause, which would weaken the body more and more every day. Wherefore, if the lungs be ulcerated, and the fever run high, it will be proper to take away as much blood as the patient can bear, at proper intervals, so as to allow the body time to recruit. I have seen cases, judged almost desperate, where this method of practice succeeded well : but if it happen otherwise, the physician is not to be branded with the death of the patient, whose *viscera* were so corrupted, that it was impossible to save him.

BEFORE I quit this article I must observe that fumigations with balsamics, such as *frankincence, storax, amber, benzoin*, in order to

to correct and sweeten the acrid and salt humors, is of vast service in some cases: which is to be done by throwing the ingredients on red coals, and receiving the fumes thro' a proper tube directly into the windpipe and lungs (1). I am very sensible that this method of administering balsamics is almost entirely neglected, as useless. But whosoever considers the length of the way, which they must make by the blood-vessels, before they reach the lungs; and what a small part of them comes to the place of their destination; will easily see, that this is the best way of communicating their virtue, if they have any.

For the same reason I have known the smoke of *balsam of Tolu*, sucked into the lungs through a proper tube, as we smoke tobacco, to be of signal benefit, especially in spitting of blood.

To these little suppurations it may not be improper to subjoin a larger abscess, which is sometimes formed in the same part, and is named a *vomica*. This disease, tho' bad in itself, and often terminates in a consumption, yet is not attended with

(1) See *Christophori Benedicti tabidorum theatrum, sub finem. Lond. 1656.*

so much danger, as those lesser exulcerations. For I have seen cases, wherein the patients in a fit of coughing threw up a pint or two of purulent matter of such an excessive stench, that people could not bear the room, mixed with blood; and yet they were perfectly cured by a milk diet and balsamics, with anodynes properly interspersed.

Thus far of the *phthisis* or pulmonary consumption.

BUT there are two other species of consumption, which waste a person different ways. In one the body is not nourished; and as some particles are always naturally flying off, and nothing coming to supply their place, an excessive wasting of flesh ensues, which is called an *atrophy*. This is very frequently owing to a defect in the nervous fluid; and is either accompanied with a *cachexy*, which is the other species, or gradually brings it on. In both species the food is corrupted by reason of the bad habit of body, and the parts are not recruited: and therefore a well regulated course of living, and *steel* medicines to strengthen the stomach, with laxatives at proper distances, are particularly indicated.

LASTLY,

LASTLY, in all decays exercise and frictions, according to the patient's strength, ought to be constantly used : change of air is generally of service, and sometimes a long sea voyage. Patients labouring under disorders of the lungs in this country, are very justly sent to *Lisbon* or *Naples*. But riding on horseback, if practicable ; if not, in a coach, or a litter at least ; or some other manner of moving the body, is always proper.



+++++

CHAPTER II.

Of the diseases of the head.

SECTION I.

The apoplexy.

MOST diseases of the head have a great affinity with each other, and commonly proceed from repletion. Of these the principal is the apoplexy, which is sometimes owing to an over viscid blood, circulating too slowly, and almost stagnating in the arteries of the head: and this viscid blood, being perpetually urged forward by the force of the heart, bursts its vessels; and lodging on the brain, and compressing the nerves subservient to the motions of the body, obstructs their ducts, and prevents the influx of their native juice. But it is more frequently caused, without any considerable rupture of the vessels, by a watery and red humor transuding from the blood, or by the juice ouzing out of the circumjacent glands, which loads the membranes of the brain,

brain, fills its ventricles, and stops the course of the animal spirits: The former of these may be called the *sanguineous* apoplexy, the latter the *pituitose*. To that *Hippocrates* gives the epithet of *strong*, and pronounces it incurable; and to this he gives that of *light* or *weak*, and yet says it is difficult to be cured (1). A great number of histories of both sorts may be read in *Wepfer* (2): and *Bellini* has most rationally accounted for all the symptoms, in this and the like distempers (3).

I SHALL not dwell on external causes, such as blows, falls, and fractures of the skull occasioned by them; because they indicate no peculiar treatment, but what depends on surgery.

THE *sanguineous* kind requires plentiful and frequent bleeding, both from the arm and jugular veins; but purging is more requisite in the *pituitose*. Opening the occipital veins, proposed by *Morgagni* (4), is likewise of considerable benefit, as I have experienced

(1) *Aphor. Sect. ii. 42.*

(2) *Observ. anatom. ex cadaveribus eorum, quos sustulit apoplexia, Amstel. 1731.*

(3) *De morbis capitis.*

(4) *Adversar. anat. vi. animadv. 83.*

perienched in several very dangerous cases. For as these veins have a communication within the brain with both the lateral sinuses; by opening these veins, part of the blood, which they would have conveyed into the sinuses, is taken off; and the quantity of blood in the sinuses being thus somewhat diminished, its motion through them is more easily performed. And therefore cupping in the nape and sides of the neck, with pretty deep scarifications, to give a free passage to the blood, is always useful.

UPON the same account also it is, that drawing blood from the temporal arteries, which some authors recommend, is of service, if it can be of any. As to the safety of this operation, *Galen* indeed asserts, that he saw an artery, even in the arm, opened without any great inconvenience (1). But yet the quantity of blood, taken away by opening the temporal artery, is so inconsiderable, that much benefit cannot be expected from that practice. Wherefore it would be better to follow the advice, which *Aretæus* gives in an inveterate headach, of opening the two arteries behind the ears (2); because

(1) *Method. medendi, Lib. v. Cap. 7.*

(2) *De morb. diuturn. curat. Lib. i. Cap. 2.*

because they will discharge] more blood, that would have run into the head, than the temporal arteries can.

BLISTERS are likewise to be laid on the head and all the limbs; and cathartics are necessary, taken both by the mouth and by way of clyster: but they must be acrid and powerfully stimulating; because the nervous fibres are become very torpid.

THE *letbargy* and *carus* are lighter species of the apoplexy.

SECTION II.

The palsy.

THE apoplexy, when it is not mortal, very frequently terminates in a palsy, which is the crisis of the disease: and this palsy generally seizes but one side of the body. And what the above-cited *Morgagni* observes after *Valsalva*, that on dissection of the bodies of apoplectics, who had been seized with a hemiplegia, he always found the cause of the disease in the opposite side of the brain (1), I have formerly found true more than once in St. Thomas's hospital.

THERE
(1) *Adversar. anat. vi. animadv. 84.*

and the patient for the most part drags a miserable life. For the vigor of his mind together with his memory are lost, or vastly impaired ; he totters and shakes, and is become a dismal sight ; as if no longer a man, but an animal half dead.

St. Vitus's dance.

THIS odd disease, both in symptoms and name, is of the paralytic kind, and is cured by frequent cold bathing and chalybeate medicines, as I have already said upon another occasion (1).

SECTION III.

The epilepsy and vertigo.

CONCERNING the periodical returns and method of cure of both these diseases, I refer the reader to another book (2), in which I treated of them pretty amply.

HOWEVER, to what has been there said, I think proper to add two admonitions.

D

The

(1) *Influence of the Sun and Moon*, page 92.

(2) *The same*, page 38, &c, 87, &c.

The first is, that the *vertigo* is very often more a disease of the stomach, than of the head; or at least that both these parts are affected together, from a quantity of bilious and viscid humors lodging in the guts. When that is the case, no medicines will be effectual, without premising a vomit of *Ipecacoanha* wine, or some other proper emetic. And afterward *Mynsicht's elixir of vitriol*, taken in spring water an hour or two before and after dinner, will mend the appetite and digestion.

THE other is, that the *Peruvian bark*, joined to some medicine appropriated to the disease, has frequently been of great service, especially if it be given thus.


TAKE of *Peruvian bark* one ounce; of *wild valerian root* powdered two drachms; of *syrup of orange-peel* a sufficient quantity; make an electuary.

OF this let the patient take a drachm, after the proper evacuations, morning and evening for three months together; and then repeat it three or four days before the new and full moon.

The tetanus.

THIS uncommon disease is a violent preternatural convulsion of the muscles of the whole body : and therefore is to be treated with the same medicines as the epilepsy.





CHAPTER III.

Of madness.

THERE is no disease more to be dreaded than madness. For what greater unhappiness can befall a man, than to be deprived of his reason and understanding; to attack his fellow-creatures with fury like a wild beast; to be tied down, and even beat, to prevent his doing mischief to himself or others: or, on the contrary, to be sad and dejected, to be daily terrified with vain imaginations; to fancy hobgoblins haunting him; and after a life spent in continual anxiety, to be persuaded that his death will be the commencement of eternal punishment? And to all these may added this unhappy circumstance, that the disorder is very difficult to be cured. Now in order to the clearer comprehension of what I have to say from experience on this disease, I will premise a few hints concerning its nature.

A very frequent cause of this evil is an excessive intention of the mind, and the thoughts

thoughts long fixed on any one object, even though it be of the pleasing kind. For such intention of mind, such fixed thought, is capable of perverting the rational faculties, as we sometimes observe in studious persons: but when it is blended with some of the passions, as hope, fear, anger, &c. the disorder is heighten'd; and the madness is accompanied either with melancholy or fury, according to the nature of the cause, and chiefly according to the natural propensity of mind in the patient to this or that passion. Now nothing disorders the mind so much as love and religion, I mean false and vain religion, or superstition. Love is attended with hope, fear, jealousy, and sometimes with wrath and hatred arising from the latter. Superstition fills and distracts the mind with vain terrors, and notions of divine vengeance. Hence it happens, that the madness of persons in love is more generally of the maniacal, and that of superstitious people of the melancholic kind.

BUT these two disorders sometimes take each other's place, and undergo various degrees of combination.

IN fine madness rises to the greatest highth, when the mind is racked with contrary passions at the same time ; as wrath and fear, joy and grief : which by drawing it different ways, at length quite overpower it.

WE all know the constitution of our fabric to be such, that whatever images present themselves to the mind, whether of things that may be beneficial or prejudicial to us, they necessarily excite certain affections or passions in the soul, which are instantly followed by suitable motions in the body. Thus joy, grief, hope, fear, desire, anger, even against our will, act upon, and cause alterations in the body, by raising commotions in the blood and humors. And it matters not, whether the ideas be true and real, or false and imaginary, provided the mind has been long intent upon them : nay we often find by experience, that the soul is more powerfully wrought on by imaginary than real evils. Thus the vain dread of impending poverty is so much more intolerable than the real affliction itself, as to drive timorous people to lay violent hands on themselves. So far is the life of man exposed to miseries on every side !

Now

Now the instrument of all these motions, both of the mind and body, is that extremely-subtile fluid of the nerves, commonly called *animal spirits*. Concerning the nature of which we have formerly (1) offered our conjectures, and have shewn that this active fluid is very susceptible of various alterations; a remarkable instance whereof we have in the very disease, of which we are now treating.

MEDICAL writers distinguish two kinds of madness, and describe them both as a constant disorder of the mind without any considerable fever; but with this difference, that the one is attended with audaciousness and fury, the other with sadness and fear: and that they call *mania*, this *melancholy*. But these generally differ in degree only. For melancholy very frequently changes, sooner or later, into maniacal madness; and, when the fury is abated, the sadness generally returns heavier than before: hence all maniacal people are fearful and cowardly; which is an observation of great use in practice. Now, that the animal spirits acquire various preternatural properties, as I have already said, in all madness, is easily demonstrated.

D 4

(1) See *Introduction to the essays on poisons, edit. 3.*

monstrated. But a surprizing circumstance in this distemper is, that it not only often preserves the patient from other diseases; but when it seizes him actually laboring under them, it lays such strong claim to the whole man, that it sometimes dispossesses the body of them. And this happens, not only in slight ailments, but also in great and dangerous illnesses; so that we may say with the poet,

Aliquisque malo fuit usus in illo.

Some benefit resulted from that evil.

I REMEMBER to have seen two remarkable instances of the truth of this observation. One was the case of a young lady about twenty years of age, of a lively, chearful temper, but weakly constitution; who from a bad habit of body fell into a dropsy of the *abdomen*, with great wasting of flesh. After trying all methods of cure to no purpose, when she was past all hopes of recovery, she was on a sudden seized with madness (from what cause I know not) attended with great anxiety and vain terrors of mind: for she imagined that she was to be apprehended, tried, condemned and executed for high treason. In the mean time

time she gathered strength, and the swelling of her belly subsided visibly : so that in a short time I judged her able to bear more powerful medicines adapted to her two diseases, Accordingly she was put into a course of emetics, cathartics, diuretics and stomachics ; which had so good an effect, that in some months she recovered perfect health of mind and body.

THE other, somewhat different from the foregoing, was also the case of a beautiful young lady, who was, in the twenty-eighth year of her age, seized with a violent cough and spitting of blood. For which she was blooded plentifully in the arm, every other day, five or six times. This diminished the violence of the symptoms, but did not entirely remove them : and in two months a hectic came on, attended with thirst, heat, and night sweats ; together with great wasting of flesh, and frequent spitting of tough slime, from the lungs and throat, interspersed here and there with small portions of yellow purulent matter. Now she was running into a true pulmonary consumption, and death seemed to be at the door. Whereupon the patient began to be anxious for the salvation of her soul. She was immediately visited by her spiritual guides ;

D 5

who,

who, instead of quieting her conscience, and raising her hopes, strongly inculcated that the way to heaven was rugged and difficult, and not to be passed without fasting, prayer, and anguish of mind: as if the happiness of the life to come was not to be purchased but by the unhappiness and miseries of this life. But observe the event. The miserable young lady overpowered by sacred terrors, was soon seized with religious madness. Night and day she saw the appearances of devils sulphureous flames, and other horrid images of everlasting tortures of the damned. But from this time the symptoms of the original disease began to abate: the febrile heat decreased, the spitting stopped, the sweats grew less; and her whole habit was so much changed for the better, that the bodily strength seemed to become more adequate to performing the functions of life, in proportion as the mind grew less capable of governing the body. But in a few days she grew quite melancholic. Wherefore the disease was treated by evacuations, proportioned to her strength, and other proper medicines; which seemingly had so good an effect, that there appeared some hopes of a perfect cure. But alas! toward the end of the third month, the hectic and ulceration of the lungs returning,

turning, this charming virgin died consumptive, who seemed worthy of a better fate.

THIS disease then entirely consists in the strength of imagination. For pleasing or terrifying images are represented to the mind; and these in the ordinary course of nature, are necessarily followed by suitable, and as it were coherent, motions of the body. Hence even brutes sometimes run mad, that is, are deprived of their reason; for whatever some hare-brained philosophers say to the contrary) they have a share of reason proportionate to their respective natures.

DAILY experience convinces us of the vast power of this faculty. For what is more wonderful, than that a man should persuade himself that he is changed into a dog or a wolf; that he is actually dead and conversing with the dead, while he is full of life and strength; that he wears a head of glass or clay; and a hundred other such extravagant fancies, of which mad folks are sometimes possessed. And yet what often happens to pregnant women, seems still more astonishing, nay, almost incredible. For 'tis well known, that when they are seized

seized with violent longings, it is not uncommon to see the child marked with the fruits, or other things, for which they longed; and these marks sometimes last as long as life. However surprizing these things may be, they yet fall short of the following fact related by *Malbranche*, which comes nearly up to a prodigy (1). “About
 “ seven or eight years ago (says he) there
 “ was in the hospital of incurables (at *Paris*) a young Man, an idiot from his
 “ birth, whose body was broken in the
 “ same places, in which criminals are broken.
 “ en. He lived near twenty years in that
 “ condition: many persons saw him, and
 “ the late queen mother making a visit to
 “ that hospital, had the curiosity not only
 “ to see, but even to touch the arms
 “ and legs of this youth, in the places
 “ where they were broken.” The cause of this unhappy accident was soon found to be, that the mother, while big with this child was present at the execution of a malefactor, who was broke alive on a cross with an iron bar. That she was excessively terrified, it is easy to believe; but how the force of her imagination could produce
 such

(1) *Recherche de la verité*, Tome I. Liv. II, Chap. 7.

such an effect on the *fœtus*, is a matter of great difficulty. *Mallebranche* attempts to account for it, in his usual manner, by ingenious conjectures, saying, that the imaginary faculty is a certain inward sensation, which is entirely performed by the assistance of the animal spirits : that the *fœtus* ought to be deemed a part of the mother's body, so that, whatever any part of the mother suffers, is by some occult communication transmitted to the same part in the *fœtus*. Wherefore when the pregnant woman was shocked at that dreadful sight, possibly she suffered pain and even some degree of laceration of the fibres, in the same limbs, which she saw broken in the malefactor : but as her bones were firm and solid, they were capable of resisting the shock ; whereas those of the *fœtus*, being scarcely knit, were easily broken, so as never to unite again. But whether this reasoning be just, or not, the fact is a manifest proof that the imagination has a wonderful degree of power to affect the body.

ANOTHER remarkable circumstance is, that immoderate joy, too long continued, as effectually disorders the mind as anxiety and grief. And the reason seems to be, that the pleasing images, which are constantly

stantly present to the mind, suffer it not to attend to other things : and as it is struck and interrupted a thousand ways by objects, which necessarily occur every day ; hence conflicts arise, which give a wrong turn to, and at length destroy, the thinking faculty. To which may be added the notions of solicitude and fear, lest some unforeseen stroke of adverse fortune should overturn this happy state. I have formerly heard Dr. *Hale*, physician to *Bethleem-hospital*, and of great experience in these matters, say more than once, that in the year *MDCCLXX*, ever memorable for the iniquitous south-sea scheme, he had more patients committed to his care whose heads were turned by the immense riches which fortune had suddenly thrown in their way, than of those who had been completely ruined by that abominable bubble. Such is the force of insatiable avarice in destroying the rational faculties!

BUT it is still more to be wondered at, that mad folks, especially of the melancholic tribe, sometimes take it strongly into their heads to do things which give the greatest pain and uneasiness to the body ; than which nothing is more contrary to human nature. For, though perishing
with

with hunger, they obstinately refuse, and even abhor food, as if it were poison; and retain their urine for whole days together, though ready to burst. In cases of this kind the mind seems in some measure to be called away from the senses, while it is impossible but that the pain must be felt: but the unhappy person obstinately refuses to give attention to what is transacted within his body. And it is not improbable, that he is possessed with some vain notions, which make him patiently bear the pain he suffers: for example, that, if he does not, he will have more severe tortures inflicted on him; that the present pain was sent down from heaven on him in punishment for his sins, or is the effect of the devil's inevitable power, or of witchcraft, and many other such empty notions. For there is nothing how incredibly silly soever, and contrary to good sense, but may affect a depraved imagination.

BUT, to come at length to the cure, the physician's first care ought to be to consider, what evacuations the patient is able to bear: because evacuations of almost all kinds are generally necessary, if his strength will allow them: if not, he is to be strengthened by proper diet and medicines, till such
time.

time as he can safely bear evacuants. For, when the humors have been too much drained, it is not uncommon to see maniacal madness succeeded by an incurable dejection of mind and melancholy; under which the miserable patient drags a tedious life in perpetual anxieties and sadness: and mad men for the most part live very long. Now the proper evacuations in this disease are chiefly blood-letting, vomits, and purging by stool and urine: wherefore I shall offer a few remarks on each of these heads.

BLOOD is most commodiously drawn either from the arm or the jugulars; and sometimes also by cupping with scarifications in the *occiput*; particularly in case of a headache, or of such a degree of weakness as forbids the farther use of the lancet.

VOMITING is best excited with *Ipecacoanha* wine in the more weakly; but in the more robust with the *tincture of white bellebore*, or *antimonial wine*.

THE properest cathartics are *black Bellebore*, or *infusion of sena* with *tincture of jalap*; or *aloes* in fine, if the suppression of the monthly evacuations in women, or of the hemorrhoids in men, require discharges of

of blood by these natural ways. And these evacuations both by vomit and stool, are to be often repeated, in alternate order. Nor does it seem improper to add, that this disease demands powerful medicines, because in it the nerves are not easily stimulated.

BUT evacuation by the urinary organs is of greater moment than is commonly thought, especially when madness is accompanied with a fever. For it is of little benefit to melancholics, who for the most part make too much urine. And the most appropriate diuretics in this case are the *lixivial salts of vegetables* and the *diuretic salt*, so called: any of which, or both sorts, may be given by turns, in pretty large doses.

BLISTERING plasters applied to the head will possibly be thought to deserve a place among the remedies of this disease; but I have often found them to do more harm than good by their overgreat irritation. It will be better, in imitation of the ancients, to shave the head; and then to rub it often with *vinegar*, in which *rose flowers* or *ground-ivy leaves* have been infused: and also to make a drain, by passing a *seton* in the nape of the neck; which is to be rubbed with a proper digestive ointment, and moved

ved a little every day in order to give free issue to the purulent matter. However, when the disease is of long standing, blisters are sometimes serviceable.

WHILE the noxious humors are expelled by these means, the disease is likewise to be attacked by those medicines, which effect a change in the body. The diet ought to be slender, chiefly gruel made of *oatmeal* or *barly*, and meats of easy digestion. For the body must be nourished, that the patient may have strength enough to bear the necessary evacuations.

AUTHORS, both ancient and modern, recommend a great number of medicines; some of which are suitable to maniacal, others to melancholic patients: but both sorts agree in the property of correcting the bile; which is acrid at first, then becomes viscid, and black as pitch. Moreover the very blood in this disorder is thick, fizy, and black: whence upon dissection the brain appears dry, and almost friable, and the vessels distended with black sluggish blood. Now it will be of use to observe, that most of the medicines, proper to be given in this disease, are in some degree endued with the property of opening and
scouring

scouring the glands, and encreasing perspiration. Of this kind are the strong-smelling gums, especially *asa fetida*, *myrrh*, *Russian castor*, and *camphire*: which last is asserted by some authors of experience, to have likewise an anodyne quality, and to procure sleep with greater certainty and safety even than *opium*. And in melancholic cases, *chalybeats* are also very proper. In fine, a frequent use of the cold bath is very serviceable, especially in maniacal cases. For nothing, as *Celsus* says, is of such benefit to the head, as cold water (1).

It now remains to lay down some rules for the management of mad folks, than which nothing conduces more to their cure: and different methods are to be employed with the maniacal and melancholic. The unruliness of those is to be curbed; and the despondency of these to be dissipated by giving them hopes, and raising their spirits. And yet, with regard to those who are outrageous, it is not necessary to employ stripes or other rough treatment to bring them into order; binding alone being sufficient for that purpose; because, as I have already said, they are all cowards; and when they are once sensible of being thoroughly conquered,

quered, they easily submit for the future, and dare not offer violence to themselves or others.

It is a more difficult matter to manage those whose madness is accompanied with excessive sadness or joy; to whose different humors the physician ought to accommodate himself. Wherefore the ill-timed fits of laughter of some are to be stopped by chiding and threatening; and the gloomy thoughts of others are to be dissipated: to which concerts of music, and such diversions, as they formerly took delight in, are very conducive. And how music affects and relieves both the body and the mind, I have formerly published my thoughts (1).

BUT it ought to be a standing rule, to inculcate notions directly contrary to those, with which they were long possessed; in order to inure the mind by degrees to a new way of thinking. For as in the case of a body broken with sickness or fatigues, rest and intermission of labor are proper to be ordered; so it is requisite, by all practicable

(1) *Mechanical account of poisons, Essay iii.* See also what *Aretæus* says on this head: *De curat. acutor.* Lib. 1.

ticable means, to draw off the mind from those vain fancies, which it has imbibed. And this we shall compass, if we turn it upon objects, which excite different motions in it. Thus in imaginary fears of long duration, it is sometimes beneficial to affright the patient with real dangers. But these real terrors must in their own nature be quite unlike their false or imaginary ones, in order to cause a different agitation in the mind. For the mind cannot be absolutely at rest, though it may be free from care and anxiety : and a change of idea's may be deemed a recreation and relaxation from studies : just as the muscles of the limbs, when tired with any one sort of labour, are refreshed by putting them on different actions.

BODILY exercise is never to be neglected. Walking, riding, playing at ball, bowls, and other such sports ; swimming, and travelling by land and sea, are of great use : for by these the constitution of body is strengthened, and the mind resumes its rational faculties by the constant exchange of objects.

To what has been hitherto said I shall subjoin one animadversion more : that anodynes

dynes to procure sleep are very seldom proper in this disease. But yet in some cases, as in great terrors of mind, or when the patient, through solicitude and sadness, is much fatigued with constant watching, it may not be amiss to make trial of them; but we are not to persist long in their use: for it often happens, even when they procure sleep, that when the patient awakes, his head is filled with more terrifying ideas than before.

I close this chapter with observing, that there is no disease, in which the danger of a relapse is greater: wherefore every thing that has been hitherto proposed for the cure, whether relating to medicines, diet, or manner of living, ought to be repeated for a considerable time at due intervals, even after the patient has recovered.





CHAPTER IV.

Of the quinsy.

MEDICAL authors have carefully treated of several sorts of quinsies ; but there are three sorts, the most acute and fatal of all, the nature of which they have not explained with sufficient accuracy. Of these the first may be called the *watery quinsy* ; the second *a gangrene of the tonsils* ; and the third *a strangulation of the fauces*.

IN the first sort the glands of the mouth, palate, and neighbouring parts are distended and swoln. In the second an inflammation without a perfect suppuration seizes the tonsils ; which swell and grow hard ; a gangrene soon ensues, which, if not very speedily relieved, is fatal. In the third, all the nerves are convulsed, and the patient drops down dead suddenly. Of this third sort I have seen one Instance, in which though a large quantity of blood was drawn
twice

twice in six hours time, yet that evacuation was of no avail. Upon dissection there was not even the last appearance of swelling or inflammation in the glands or muscles of the mouth and throat; but the blood-vessels were turgid every where with a thick blood. This disease, however rare, is described by *Hippocrates*. Of quinsies, says he, *those are the worst, and soonest fatal, which shew nothing remarkable either in the fauces or neck; and yet bring on very much pain and difficulty of breathing* (1). These sorts are all very dangerous, and require some difference in the treatment.

I REMEMBER, that the *watery quinsy* reigned some years ago like an epidemic fever in *Wales*, especially in places near the sea, and carried off a great number of people in two or three days from their seizure. Whereupon being consulted by a physician residing there, I wrote him this advice; to bleed plentifully as soon as possible, and empty the first passages by a clyster, or, if practicable, by a gentle purge; and then to apply blisters under the chin, and on the sides of the neck: and if this course did not succeed, to scarify the palate pretty deeply

(1) *Of Prognostics.*

deeply about the *uvula* and sublingual veins; in order to give vent to the matter of the disease. In the mean time, to carry off the fever, I recommended a powder made up of equal parts of the *compound powder of contrayerva*, and *very pure nitre*. And this method saved very many lives.

IN the gangrene of the tonsils, after bleeding and clysters, the only remedy is, to make three or four pretty deep incisions in these glands, which are to be dressed with *honey of roses* mixed with a small quantity of *Egyptian honey*: and at the same time the mouth and throat are to be gargled with a decoction of *barley* and *figs*. But it is to be observed, that all this is to be done in the beginning of the disease: for in two or three days the gangrene spreads to the gullet and is mortal. I have seen some patients saved by this method, and others die, in whose cases it was either neglected, or applied too late: while the attending physicians were of opinion, because the fever seemed abated, that all was safe, and the patient out of danger; whereas they ought to have considered, that his fluttering pulse, great inquietude, and cold sweats succeeding each other, were forerunners of speedy death.

THIS disease chiefly seizes children; and *Aretæus* (1) has, in his usual manner, given an accurate description of it; which *Severinus* (2) has illustrated with a learned comment, calling it the *pestilential quinsy of children*, and commending the method of cure above described: as the Latin *Hippocrates* (3) had done long before him.

THE strangulation of the *fauces*, which I have called the third pernicious species of quinsies, if it can be foreseen, ought to be prevented by evacuations of all kinds; I mean by bleeding, purging, blistering, issues, and diuretics. And it will be of service to practise abstinence, that is, moderation in eating and drinking.

(1) *De causis et signis morborum acutorum, Lib. 1. Cap. 9.*

(2) *Diatriba de pestilente ac præfocante pueros abscessu*, annexed to his book, *De recondita abscessuum natura. Francfort, 1643.*

(3) *Celsus, Lib. vi. Cap. 10.*



CHAPTER V.

*Of the diseases of the breast.**Of the asthma.*

DIFFICULTY of breathing arises from many and very different causes. For whatsoever occasions the ambient air to enter the lungs with less freedom than usual, brings on this disease. Now for performing respiration, first the *thorax* must be dilated; which is effected by the actions of the diaphragm, and intercostal and abdominal muscles. Next, the air must be received into the *aspera arteria*; and therefore whensoever this duct or its ramifications are obstructed, either by a tumor, or by viscid humors, a difficulty of breathing must ensue. Then, the air itself comes in for a partial cause; for if it be much heavier or lighter than usual, it does not distend the vesicles of the lungs with sufficient force. Likewise the tenderness of the very lungs sometimes occasions this

E 2 distemper.

distemper. For I have known some persons, who breathed well enough in the thick air of the town ; but upon going into the country, the clear air, which is beneficial to most asthmatic patients, threw them into a very great difficulty of breath. In fine the difficult passage of the blood through the lungs may be reckoned among the impediments of respiration. Now it is manifest that this may happen several ways ; that is, through some defect in the heart, or in the blood itself. When the heart is weak, it does not sufficiently drive the blood forward : and if the blood chance to be too thick, it is not so easily moved ; and in some measure stagnating in its vessels, disturbs and retards the office of the air. We could enumerate several other causes of this disease, but these are principal ones ; and they are more or less fatal according to their greater or lesser combinations.

As this distemper is owing to different causes, so it requires different methods of cure. However in every species of it, blood-letting is useful, unless there be some particular contra-indication. But that alone will not suffice : vomits too, and those often repeated, are very proper, if the lungs
or

or stomach be loaded with tough phlegm. The body must be kept open, but by no means with violent cathartics: for the most part pills made up of equal parts of *Rufus's pills* and *gum ammoniac*, and given every night, will answer that end. The patient is to be forbid the use of all flatulent food and drink; and to be ordered to use exercise till he is almost tired, and frictions, of the lower parts especially, both by himself and others, till he is pretty near sweating.

In the fits, the breath is to be eased as much as possible. In the case of viscid and tough humors, this is effected by a mixture of *oxymel of squils* and *simple cinnamon water*; or *garlick* either raw or preserved. But if the fault lie in the nervous juice, all the strong-smelling gums are proper, especially the *milk of gum ammoniac*. But it ought to be remembered, that anodynes, which are poisons in the preceding case, are very serviceable in this, if joined with *volatile salts* or *spirits*: but of all this tribe I know no better medicine than the *paregoric elixir*.

Now, as some constitutions, through some defect of the solids or fluids, are apt

to relapse into this disease upon every occasion ; it is proper to give directions how to prevent it. Wherefore regard is to be had here, both to the constitution of the patient, and the nature of the disease. If he be of a hot constitution, coolers and acids, of the milder sort, are indicated ; the best of which are *vinegar* and the *oxymels* : but if he be cold, some warm medicines are serviceable ; such as the *roots of elecampane* and *zedoary*, *Jagapenum*, *myrrh*, and the like. In both cases it is proper to give a vomit now and then ; and to keep the body open with gentle cathartics, as *Glauber's salt*. Water with a little wine is the most convenient drink.

BUT whereas every kind of this disease is attended with more or less of effervescence in the blood, the best way to obviate this symptom is to give the *bark*, especially about the usual time of the return of the paroxysm. And I have known some instances, where it has done vast service, mixed with *cinnabar of antimony*.

LASTLY, I must not omit, that issues above the shoulder-blades are good in all asthmatic cases ; and it is very probable, that their benefit in this and some other distempers

temper lies, not only in giving vent to the humors, but likewise in lessening the over-great tension of the nerves.

YET all these things are to be managed with caution. From the too frequent use of blood-letting a dropsy is to be apprehended. Drinking too much water is hurtful to old folks. Violent exercise causes shortness of breath: and so does the over-free use of acids by constringing the nervous fibres. So necessary is moderation even in medicine.

BUT for this and other diseases of the breast I refer the reader to *Bellini, De morbis capitis, pectoris, &c.*





CHAPTER VI.

Of the diseases of the heart.

AS the heart, the primary instrument of all animal motions, and in some measure the fountain of life, is a muscle, or rather a collection of several muscles; it is liable to the same indispositions with the other muscles of the body.

BUT the disorder, with which it is most frequently seized, is a *palpitation*, whereby its motion is interrupted for some little space of time. This proceeds from very different causes. For sometimes its fibres becoming paralytic do not drive the blood with sufficient force. At other times a *polypus*, formed in its ventricles or auricles, obstructs its action. Again, when the blood is too thick and too much in quantity, it is with difficulty thrown into the blood-vessels. Likewise the motion of this muscle may be impeded by an overgreat quantity of water in the *pericardium*: though this indeed be a rare case. Stony concretions also put it out of order. And it

it sometimes happens, especially in aged persons, that the tendons in the orifices of the ducts have acquired the hardness of bone; whereby their elasticity is destroyed, and too great a resistance is made against the propulsive motion. Nor is it to be omitted, that the want of a proper quantity of blood may occasion this disease. For when this is the case, the animal spirits are secreted too sparingly in the brain: whence the contraction of the heart is hindered, and there is an intermission in the pulse.

BUT it is to be observed, that this disease is generally a convulsion; and as in this state the heart is not able to throw out a due quantity of blood at one contraction, it repeats its effort: a remarkable instance of what I said in the Introduction, that even those motions, which are called involuntary, are governed and altered by our mind.

AND let me add by way of prognostic, that this disorder, when it rises to a high degree, and frequently returns, generally ends in a *syncope*, or fatal weakness, which authors believe to be another disease of the heart.

Now the method of cure is to be varied according to the nature of each of these various cases. But this may hold good in general, that unless the patient be very weak, blood may be drawn; whereby the heart may be eased of part of the load of blood, which it is too feeble to throw into the arteries. And indeed I have often observed, that not only the palpitation of the heart, but even a *syncope*, arises from fullness: and thus this sudden fainting frequently succeeds the suppression of any customary discharge of blood; for example, from the nose or hemorrhoidal vessels: whence it follows that blood-letting must be very serviceable for preventing this evil. But it will hardly bear any other evacuations. The paralytic weakness of the fibres requires the medicines directed in the chapter of *the palsy*. Thick blood, which engenders a *polypus*, is corrected by attenuating medicines, as volatile salts and foetid gums. And blisters are very proper to stimulate and rouse the patient, especially in case of fainting attended with sleepiness.



CHAPTER VII.

Of the diseases of the stomach and intestines.

ON the diseases of the stomach and intestines I have some things to propose, relating not only to what is to be done, but likewise to what is to be avoided. And first, although it be sometimes extremely necessary to evacuate by vomit the viscid phlegm, which loads the stomach; yet by too frequent vomits to invert that natural motion, by which the aliments are carried downward, is giving great disturbance and impediment to the concoction of food.

INFUSIONS of the bitter herbs whet the appetite, and often help digestion; but there is reason to fear that a long use of them may over-heat the muscular fibres. Upon which account it is frequently more convenient to brace them with some acids, especially *Mynsicht's elixir of vitriol*; under this caution

tion however, that they are not to be given, while the phlegm in the stomach is tough. For a very common disorder of the stomach is relaxation; and that certainly requires the bracing of its fibres.

SECTION I.

Of a looseness.

A LOOSENESS is easily stopped. I speak of that sort, which is without a fever: for when it comes on a fever, we are to consider, whether it may not prove a crisis of the disease. But when the case is a looseness alone, it will be generally sufficient, after a vomit or two with *ipecacouha* wine, to purge with some doses of *rhubarb*; and then to strengthen the intestines with aromatics and *chalk* or *french bole*.

The bloody flux.

BUT the case is attended with greater difficulty, when the looseness is accompanied with a bloody flux or severe gripes. For then the intestines are commonly ulcerated, and discharge blood; which comes away sometimes with liquid excrements, sometimes with slime accompanied with fleshy

fleshy particles. The patient is teized with frequent irritations to stool, and a pain in the *anus*; he discharges but little at a time, and his pain is encreased by every stool: and as this disease arises from an inflammation, there is always some degree of fever with it.

WHEREFORE, to come to the cure, the first thing to be done is to draw blood. Then a vomit is to be given, for which *ipeçacaanha wine* is very proper, and to be repeated two or three times more, every third or fourth day.

DURING this course, and afterward, medicines, proper for stopping the flux and healing the ulcerated membranes, are to be administered. And of this sort I know none better than the following bolus composed of the *cordial confection*, and *French bole*, each one scruple, *Thebaic extract* one grain; given three times a day.

AND it will be of service to inject clysters, either of fat broth with the addition of *Venice treacle* or *electary of scordium*; or of the *white decoction* and *starch*; or, in place of this last, of the *chalk julep*, with
two

two or three grains of the *Thebaic extract*, when occasion requires it.

LASTLY, I recommend as an useful remark, that this course is sometimes rendered ineffectual by a bad habit of body. In such cases, to the foregoing method it will be proper to add medicines, which correct the humors; and indeed some doses of *rhubarb*, with a small proportion of *dulcified mercury sublimate*, commonly called *calomel*, will prove very conducive to that end.

BESIDES these diseases, a *vomica*, or internal suppuration, is sometimes formed in the stomach. This indeed seldom happens, but yet I have observed it more than once; when the patient vomited up a mixture of blood and purulent matter in large quantities. The case is terrifying indeed, but yet generally speaking it is not attended with any great danger; and it is cured by medicines which heal the ulcerated membranes, especially by *Locatelli's balsam*.

SECTION II.

Of the iliac passion.

THIS disease, by the *Greeks* named *ιλιακὴ*, and by *Celsus* (1) the *disease of the smaller gut*, is very acute. It is a violent inflammation of the intestine, which, unless speedy relief be given, soon terminates in a gangrene, and death.

WHEREFORE blood must be plentifully drawn with great expedition, not once only, but twice, and generally thrice. Then the belly is to be moved. But this is very difficult to be done, because acrid cathartics cause too great an irritation, and are thrown up by vomit. Therefore it is to be attempted by stimulating clysters and gentle cathartics; which are most likely to give mutual assistance to each others operation. Anodynes too are necessary, but mixt with the purging medicines. Thus a very proper medicine will be a scruple of the *cathartic extract*, with one grain of the *Thebaic extract*; and some hours after, two spoonfuls of *infusion of senna*, with the addition of a fourth part of the *tincture of senna*,

(1) *Lib. iv. cap. 13.*

na, to be taken either every hour, or every two hours, until the patient has had a sufficient number of stools.

IF this course prove ineffectual, it will be right to order *quicksilver* to be swallowed down; which has a twofold use in this case: to wit, by its ponderosity that of restoring the natural motion of the intestines, which is inverted; and by its slipperiness that of softening and driving downward the excrements which stop the passage. Upon these accounts it is to be given in large quantities, to a pound weight at least; and generally requires to be repeated. Nor ought the physician to use any long delay in trying this experiment, for fear of an actual mortification of the inflamed parts; whereby the coats of the intestine would be destroyed, and the quicksilver run into the cavity of the *abdomen*.

IN fine fomentations are of some service, particularly warm flannels soaked in *spirit of wine*; or, what Sydenham prescribes, a *live puppy held constantly on the bare belly* (1). But an immersion up to the breast in the warm bath is far more beneficial. And if the pain is not yet discussed, it will be proper

TO

(1) See his *works*, Lond. 1705. p. 41.

to apply cupping glasses, with slight scarifications, about the navel.

THE same method of cure is to be observed in that severe disease, by the *French* called *colica Pictonum*, and by our people in the *American* islands, where it is very ripe, *the dry belly-ach*. For it is a pain attended with fever and inflammation, and a most troublesome costiveness.

SECTION III.

Of worms.

THE belly is frequently the seat of worms: and they are of three sorts, the *round smooth* sort, the *ascarides*, and the *flat* or *jointed worms*; children are chiefly troubled with the first and second; and adults with the third and worst sort. These have been all treated of by many medical writers. But the learned *Daniel Le Clerc* has given the most accurate description of the flat worm illustrated with figures (1). And as he has refuted the erroneous opinions of some physicians

(1) *Historia naturalis et medica latorum lumbricorum*, Geneva, 1715.

ficians concerning this creature, which seems to be an animal of a singular nature; I have borrowed from him the following remarks. First, it manifestly appears, that this is not a single worm, but a chain of many lesser worms, of that kind, which are called *cucurbitine*, linked together in a continued series. Secondly, these latter are sometimes found of a finger's breadth, lying single and separate in the intestines, and are so discharged by the anus. Lastly, the whole worm formed of the concatenation of these has but one head, which is pretty sharp-pointed, somewhat resembling a beak; which it fixes into the coats of the intestines, and sticking there very fast, sucks the chyle for its nourishment.

To these observations of *Le Clerc* I add some few from my own practice: for I have seen and cured this disease more than once. And indeed it is a truth equally strange and disagreeable, that though the medicines have destroyed and brought away several of the small worms, which are the component parts of the great one; yet others daily breed in the body, and join themselves to the rest, in order to repair the breach, until the head is expelled; and then at length the whole animal is discharged with it by the *anus*, and is frequently
several

several feet long. But it is not at all surprising, that that sharp beak above-mentioned should cause pain ; and that the person, who entertains this devouring guest, and is under a necessity of supplying its daily food, should waste in his flesh, and even run into a decay.

WHEREFORE these pernicious broods of worms are to be destroyed by all possible means : and this is easily done with regard to the smooth round sort, and the *ascarides*. *Quicksilver* in every form is destructive of them ; and therefore it will be very proper to order a purge of *rhubarb* with a small proportion of *dulcified mercury sublimate*, which is to be repeated at due intervals : and in the intermediate days to give *æthiops mineral* morning and evening. Moreover it will be of service to drink spring water, in which quicksilver has been boiled ; and even sea water alone. In fine, oil injected by the *anus* does good.

BUT the flat worm requires a peculiar treatment : and after many years experience I recommend the following medicine as very efficacious in this case.

TAKE

TAKE *filings of tin*, and *red coral*, of each an equal quantity: pound them together into a very fine powder: of which one drachm, made into a bolus with *conserve of the tops of sea-wormwood*, is to be taken twice a day.

IN fine, the same medicines, which have destroyed and cleared the bowels of these intestine enemies, are to be repeated from time to time, to prevent their return.

THERE is another worm which deserves to be taken notice of in this place, as being very different from those above described, both with regard to its seat, which is not in the intestines, but in the limbs, and to the oddness of its nature. I mean that, which the *Arabians* have named *vena medinensis*, the *Greeks* δρεκόντιον, and the *Latins* *dracunculus*. *Avicen* is the first author who described this worm, and to his description he has subjoined the cure (1). His *Arabic* text was rendered into *Latin* by *Georgius Hieronymus Velschius*, and illustrated with an ample

(1) *Lib. iv. Canon. sect. iii. tract. ii. cap. 21.*
 22.

ample comment full of various erudition (1). I shall give in few words the substance of what occurs in *Avicen*. He says that this disease makes its first appearance by a pimple, which rises on some of the limbs of the body, and in course of time swells into a blister: then it breaks, and there issues somewhat of a blackish red color, which continues to come forth incessantly: sometimes it has a vermicular motion under the skin, as if it were a real worm. *Galen* calls this evil an ulcer, which has a nerve brought into it from some neighbouring part (2).

BUT in truth, this disease, frequent in *Æthiopia*, *Africa* and *India*, is a real worm. And in particular it is an aquatic insect, with a sharp head and slender body, which works itself into some of the limbs, the legs especially, of persons, while they are bathing or otherwise remaining in water. It is then very small; but by feeding on the membranes of the muscles it grows larger in all dimensions; till at length it gnaws the skin, and raises a swelling and inflammation, which suppurates; and then the creature puts forth its head, and is often found

(1) Published at Augsbourg, 1674. 4to.

(2) *Definit. medic.*

found to be two or three feet long, and and sometimes longer.

THE cure proposed by *Avicen* consists both of internal medicines, and of external helps. For he advises the patient to take a drachm of aloes three days successively. But if the worm withstands this medicine and has actually begun to come forth; some thing should be provided, to which it may be fastened, and on which it is to be rolled gently and gradually, that it may all come out without breaking. The best thing for this purpose is a stick of lead on which it is to be rolled; and it ought to be of a proper weight for pulling: then let it be drawn out gently, for fear of breaking, &c. I have formerly seen in *St. Thomas's hospital* one instance of this case in a sailor lately returned from *Africa*.



CHAPTER VIII.

Of the dropsy.

THERE are three species of dropsy mentioned by physicians both ancient and modern; the *leucophlegmatia* or *anasarca*, the *tympany*, and the *ascites*. An excess of *serofities* is common to them all; which being collected form a swelling; either all over the body, as in the *leucophlegmatia*; or in the belly, which is sometimes so bloated, that a sound is frequently heard proceeding from the wind inclosed, as in the *tympany*; in which case there is also generally found some share of water, made perhaps by the condensation of the confined vapor: at other times the belly is so filled, that the fluctuation of the water may be easily perceived, either upon moving the body, or patting the part with the hand, as in the *ascites*.

THE seat of the *leucophlegmatia* is in that membrane, which modern anatomists call the *adipose*, or rather the *reticular* or *cellular*

lar membrane, and which lies between all the membranes of the body and the muscles.

THE *tympany* is of more sorts than one. Sometimes the confined vapor bloats up the *abdomen*, which gives a hollow sound upon being struck. And that vapor is an exhalation from some mortified *viscus*; and therefore when let out, it is always extremely foetid. This is a rare case, and yet I have seen one remarkable instance of it in *St. Thomas's hospital*. It was in an old man, whose belly swelled to that degree of tightness, that it sounded like a drum upon being struck; nor could a passage be procured downward either for excrement or wind, though the most powerful cathartics had been given. Upon opening the *abdomen* after death, there flew out with noise such an excessively stinking vapor, that the Surgeon cried out, he was poisoned. We soon found the source of this stench to be the *colon*, which was inflamed and mortified and adhered to the stomach mortified likewise. But yet it sometimes happens without any putrefaction, that an elastic air ingendered in the *abdomen*, and not finding any vent, pushes forward and bloats up the integuments

teguments by its expansive force. And this is not pent up in the cavity of the belly, but in the very intestines; which it stretches to such a pitch, as to destroy their contractile power; and then their capacity is sometimes widened to an almost immense degree (1).

THE *ascites*, or third species of dropsy, is formed three different ways. For sometimes the water is extravasated between the tendons of the transversal muscles of the *abdomen* and the *peritonæum*, and by separating them forms a tumor (2); at other times the serosities getting in between the two *laminae* of the *peritonæum* (for this membrane is double) forces them asunder, and forms to itself a large receptacle: but most commonly the water is collected and stagnates in the wide cavity of the *abdomen* itself. And upon dissection I have sometimes observed this water to be very clear, with many little transparent strings, composed of slender vesicles that seemed linked together floating in it; which were the coats of the bursted lymphatic vessels, whose

(1) See *Memoires de l'Academie Royale des Sciences*, for the year 1713 pag. 235, and *Philosophical Transactions*, No 454.

(2) See *Chefelden's Anatomy*, Book iii. chap. 4.

valves separated them into different pieces, and formed hydatids.

BUT there is no species of dropsy worse than that of the *ovaries* in women. For these organs first grow schirrhous, then they are inflamed, and at length gangrened; they likewise swell to a vast size, being gradually stretched by the juices issuing out of their bursted lymphatics, which are very numerous. Hence this disease is very seldom cured.

THESE are the chief ways of forming collections of water in the belly, and I have seen instances of them all more than once: but the following case, which fell under my notice, while I was physician to the hospital, is very uncommon. A widow of forty two years of age, who never had a child, complained of pains in her back, and difficulty of making water, for about twelve months: after which time she perceived her belly to swell, and there soon appeared manifest signs of an *ascites*: wherefore she was tapped three different times; but the waters soon collected again after each tapping, and she died in a fortnight or three weeks after the last puncture. Upon opening the body, there issued first from a cavity formed by the
the

the separation of the tendons of the transversal muscles from the *peritonæum*, a great quantity of water, in which floated many large entire hydatids. And afterward, upon cutting the *peritonæum*, seven or eight pints of a thickish and viscid humor were taken out, mixed with many corrupted glands. We wondered that none of the intestines appeared, which we sought in vain, until, cutting through a membrane as thick as leather, we at length found the stomach with all the intestines and *omentum* collected into a narrow compass, and as it were lying hid there. The membrane immediately inclosing them was the inner *lamina* of the *peritonæum*; whose outer part being, as I have already observed, almost as thick as leather, did so far impose on us at first sight, that we took it for the whole *peritonæum*. Thus the three species of *ascites* above-mentioned visibly occurred together in this body, a curious, apposite and useful case.

BESIDES all these collections of water, other parts of the body are also liable to the same distemper, as for example the brain and testicles. But water is no where attended with greater danger than when collected in the breast: and this species

cies of dropsy most commonly happens to those, who have long laboured under a difficulty of breathing, that sort especially which arises from *polypi* in the blood-vessels; while the serosities of the blood transude through the membrane of the lungs. I have seen several cases of this kind, where there was from a pint to a quart of water collected, sometimes in one side of the breast only, sometimes in both, and sometimes also in the very *mediastinum*. Now as this water increases daily in quantity by hindering the play of the lungs it at length stops respiration, and the patient dies suddenly. In fine, persons who had been long subject to a palpitation of the heart, and shortness of breath, the *pericardium* itself has been found after death vastly distended with water.

BUT it is time to come to the cure of these dropsies. In the *leucophlegmatia* an incision ought to be made in the inside of the leg, two fingers breadth above the ankle, as far in as the cellular membrane, and no farther; in order to serve as a drain for the water, which should run for some days. And during this time let the leg be fomented with a decoction of emollient and warm herbs, with an addition of *camphorated*

rated ſpirit of wine ; which method I have often found to be of great ſervice not only in this ſpecies of dropſy but even in the *aſcites* itſelf : nay, in ſome caſes it has proved an abſolute cure, by draining off an almoſt incredible quantity of water for many days together. But care muſt be taken, not only in this particular incision, but in all others that are made in any part of the body for drawing off the waters, not to over-exhaust the patient's ſtrength ; which is as much affected by this evacuation, as if the ſame quantity of blood were drawn. Wherefore the patient is to be ſupported by all poſſible means, leſt what was intended for his cure may haſten his death : whereof I have ſeen two inſtances, one of which indeed happened by my own fault in not eſtimating the patient's ſtrength with ſufficient caution, and the other by the raſhneſs of a ſurgeon. And yet it is aſtoniſhing, how great a quantity of water drawn off in this manner, hydropics ſometimes bear to loſe, with eaſe and benefit : as will appear by this ſingular caſe.

A Gentlewoman, related to me, of near fifty years of age, and of a good ſtrong habit of body, was ſeized with an anafarca and aſcitical dropſy at the ſame time ;

whereby her belly swelled to such an excessive degree, that when she lay in bed she was quite oppressed by the weight. When her case was judged almost desperate, I gave it as my opinion, that the only hopes, or rather chance remaining for her life, consisted in letting out the water by incisions made in the small of the leg. To this she obstinately refused to submit, saying that she was now gone a great way on her journey out of this miserable life, and did not choose to go back. But at length she was prevailed on by the importunities of her friends; and a small incision was made in each leg, in the manner above described: through which issued a gallon of water at least every day for ten days together. In the mean time regard was had to her stomach and strength. Warm fomentations were applied to the part; and she took twice a day a draught of infusion of bitter herbs in water, such as leaves of *Roman worm-wood*, *lesser centaury*, *gentian root*, and *lesser carduom seeds*, with an addition of *chalybeate wine*. And every night she drank the following draught, which I have frequently ordered in hydropic cases, and found it very efficacious in promoting urine.

TAKE

TAKE of *oxymel of squils* one drachm and half; *simple cinnamon water* an ounce; *compound spirit of lavender*, *syrup of orange peel*, each one drachm; mix.

SHE mended daily, and in time perfectly recovered her former state of health. But she was purged with proper cathartics, as soon as her strength would bear them. And indeed this disease requires pretty powerful cathartics, and a frequent repetition of them; the chief of which are *elaterium*, *calomel* and *jalap*. Wherefore these were given at proper intervals: and the other medicines above-mentioned were continued daily for a long time; especially the diuretic draught, which she never omitted for a whole year. After this course she continued in good health for five years, at the end of which she was seized with an acute disease, that carried her off. Upon the whole I make no doubt, but that that deluge of waters flowed partly from the cellular membrane, partly from the sack formed by the tendons of the abdominal muscles and *peritonæum*, or by the distension of the two *laminae* of the *peritonæum*.

ORDER brings me now to the *tympanum*. And first, that species, which, as I said above, proceeds from a mortification of any of the bowels, is absolutely incurable: but that which is occasioned by air engendered and pent up in the very intestines, is to be treated with moderate cathartics frequently administered, and carminatives, to expel the wind, interposed; together with diet of very easy digestion. Likewise bodily exercise ought not to be neglected; and it will be of use to throw up large clysters of warm water; and also, what *Celsus* advises, to make ulcers in several parts of the belly with a red-hot iron, and keep them running a good while (1). But if this operation should appear cruel, it will be proper to lay blisters on the *abdomen*, and repeat them now and then.

THE *ascites* is always a dreadful disease, whether its seat be on the outside of the *peritonæum*, or within it, or in fine in the cavity of the belly. Now it is extremely material in this case to consider, what evacuations the patient is capable of bearing. For when he is weak, violent purging is very prejudicial; and the more the sero-

sities

(1) *Lib. iii. Cap. 21.*

sities are drained out of the intestines, the greater quantity of them flows into the belly. As soon as the physician observes this to happen, he ought to desist, and try to carry off the redundant water by the urinary passages. But all diuretics, even such as are accounted the most powerful, are of uncertain effect in these cases: for those which answer in one patient, fail in another; wherefore various sorts are to be tried. Yet generally speaking, those, into which *squils* enter, are the most efficacious. Of these the chief are, either the draught with *oxymel* above described, or the fresh root itself given in a small quantity, as in the following bolus:

TAKE of the *fresh root of squils* five or six grains; of *compound powder of arum* half a scruple; *ginger root* five grains. Pound them together, and with *syrup of orange peel* make a *bolus*, to be taken every morning.

Or in fine, *vinegar of squils*, which will be less disagreeable to the stomach, and better adapted to the intension, if it be given in this manner:

TAKE of *lemon juice* six drachms ;
 of *salt of wormwood* half a drachm :
 mix, and add of *simple cinnamon wa-*
ter an ounce and half ; *syrup of*
orange peel one drachm ; *spirituous*
water of pepper-mint half an ounce ;
vinegar of squils a drachm, or a
 drachm and half : make a draught,
 to be taken twice a day.

An infusion of *broom ashes* is also benefici-
 ally ordered by physicians upon account of
 its diuretic quality ; and if it be mixed with
 a little wine, it will often make a good
 common drink for the patient.

UPON this occasion I cannot omit re-
 cording a very remarkable case of a lady of
 quality of my acquaintance. This lady,
 when about fifty years of age, had a hard
 swelling in one side of the *abdomen*, which
 without doubt was one of the ovaries grown
 to a very large size ; and its lymphatics
 bursting spewed out their contents, and gra-
 dually formed an *ascites*. Purgatives and
 diuretics of all sorts were tried in vain. She
 was tapped three times, and soon filled up
 again. It happened at length, that a poor
 country woman came to see her, who ob-
 serving

serving her in great pain from the tension of her belly, easily persuaded her to take, every day, night and morning, a spoonful of whole *mustard-seed*, and drink on it half a pint of a decoction of *green broom tops*. After three days taking this bitter potion in this manner, she found herself vastly relieved; and her thirst, which was very troublesome, was entirely appeased. This medicine sometimes gave her stools for two or three days successively, and she made five or six pints of water at least every day. She continued this course for twelve months, and was cured without any return of the disease. Wherefore *Hippocrates* wisely advises physicians to enquire even of the lower class of people, if they know any think useful for the cure of diseases (1).

It will perhaps seem an uncommon, and even dangerous practice, to order narcotics in this disease. But yet they are sometimes so useful, that they may be placed among diuretics. For in case of great pain, they often promote a discharge of urine; which effect they produce, in my opinion, purely by relaxing the fibres of the renal ducts, which are always constricted by

(1) Μη δυνέειν παρὰ ἰδιωτέων ἰσχυρεῖν, ἢ τὴ δοκέει συμφέρον. *Lib. Præcept.*

by pain: as will appear by the following remarkable case.

A certain robust, sober, temperate man of about forty years of age, was afflicted with an *ascites* and *tympany* together. The disease was owing to a violent blow, which he had received about six weeks before, in the right *hypocondrium*. The swelling of his belly daily encreased, with very severe pain, great thirst, and thick high-coloured urine rendered in small quantity. The most powerful diuretics, as *Venice soap*, *lixivial salts*, *balsam of Gilead*, *nitre*, and the like, were prescribed by another physician of great experience and myself; but all in vain: and strong cathartics made the disease grow worse. He was ordered to be tapped, but his friends would not consent. Wherefore as his pain was now become intolerable, and there were no hopes of his life, I thought of anodynes, in order to procure him some ease at least in his last moments. And accordingly I ordered him the following night draught:

TAKE of pepper-mint water one ounce; simple cinnamon water half an ounce; spirituous cinnamon water two drachms; Thebaic tincture
forty

forty drops ; *ley of tartar* half a drachm ; *syrup of marsh-mallows* one drachm ; mix.

THIS procured him most unexpected ease, and some sleep, to which he had been long a stranger ; and he made that night, at different times, a quart of water at least. This sudden change surprizingly raised his spirits. And as the patient found, that, while his ease from pain lasted, he had considerable discharges both by urine and stool ; but that he filled up again, when the effect of the anodyne was over ; the same draught was ordered to be repeated every eight hours, and in a little time it was thought sufficient to give it but twice a day. But whereas his appetite was diminished by the constant use of this medicine he took, once or twice a day, some spoonfuls of a chalybeate bitter infusion ; without neglecting the pargoric draught, whenever the pain returned. And this course was attended with such success, that to compleat the cure he was ordered pills composed of *storax pills* one part, *Peruvian bark* two parts, made up with *Chio turpentine*, to be taken twice a day ; whereby he perfectly recovered.

Dr. *Willis* (1) has given a case, quite similar to this, to which I refer the reader; as also to what the learned *Spon* has published on the same subject (2). For the dropsy to the cure of which by twenty bleedings he was an eye-witness, as well as that above described, may justly be suspected to be owing to the præternatural heat and inflammation of the abdominal *viscera*.

HAVING hitherto treated of things proper to be taken in this disease, it may not be amiss to say a word or two on a very different method of cure, which is, by abstaining from all kinds of drink for a long time: for even this method has had its abettors among the faculty. But certainly it is very difficult to be strictly pursued, as the patient is generally subject to excessive thirst; which if he be debarred from quenching, he suffers such uneasiness, that possibly he may not think life worth purchasing at so dear a rate. Nevertheless I have known two persons laboring under a very severe ascitical dropsy, who had resolution

(1) See *Pharmaceut. rational. Part. i. sect. vii. cap. i.*

(2) *Aphor. nov. sect. v. aphor. 81.*

lution and patience enough strictly to practice this self-denying method, and were both perfectly cured. And their way of asswaging their thirst was, by washing their mouth and throat with the juice of four apples or lemons, and now and then swallowing a very small quantity of it.

BUT if the belly cannot be drained of its load of water, either by incisions made in the legs, as proposed in the *anasarca*, or by any of the other helps abovementioned; there will be a necessity of taking a shorter course of relieving the patient, I mean by tapping. For this operation sometimes preserves, but seldom kills: and always considerably eases the pain occasioned by the tension of the abdomen; besides which it has this great use, that it affords time and opportunity for administering proper medicines.

I know that physicians are often averse to this operation, grounded chiefly on the following reason. 'Tis in vain, say they, to let out the water, since the injured internal parts furnish a new supply of it: moreover if it be let out by parts at different times, the belly soon fills up again; but if it be drawn off all at once, the patient dies immediately.

mediately. Now, most certain it is, that, when the bowels are mortified, the case is past all hopes; that letting out the water by parts is of no service, and drawing it all off at once was commonly pernicious. Wherefore in the year MDCCCV, I began to investigate the cause of so great an evil, in order to guard against it; and, if I am not mistaken, it is as follows. By the long distension of the *abdomen* from the inclosed water the diaphragm is thrust up too high; the muscles of the belly are stretched, the blood flows with greater freedom through the upper blood-vessels, than through the lower; and in fine the water by its pressure occasions some new disposition of the adjacent parts: whence upon letting out all the water at once, the diaphragm immediately moves lower down, as in its natural state it usually does; the blood rushes with unusual impetuosity into the lower or descending vessels, and by the removal of the pressure the fibres suddenly lose the extension, which they had acquired, and the heat, which the inclosed water had given them: hence arises a swooning; which returning often, and with encreased violence, throws the patient into cold sweats, and soon carries him off. Now the best way of preventing this fatal consequence seemed to be, to
press

press the belly hard with both hands, from the upper part downward, while the water was issuing; and after it was all come away, to swathe the belly tight with a bandage.

I resolved to make the first trial of this method in the hospital; and soon found an hydropic woman, who was a proper subject for my purpose. Wherefore she was tapped, and as soon as the water began to issue from the puncture, I carefully laid my hands above the navel, one on each side, and pressed the belly downward; and made the surgeon do the same thing below that part. But this I observed, that if I took off my hands but for a single moment, the patient immediately fainted away. When all the water was drawn off, a piece of flannel dipped in spirit of wine was laid on the *abdomen*, and then a bandage was rolled tight all over it. To our great joy, the experiment succeeded according to our wishes. The patient made water plentifully, her appetite returned, she soon gained strength, and was perfectly cured without a relapse. Of such a consequence it is, to have investigated the true causes of things.

FROM that time, not only our own, but also foreign physicians have followed this method;

method; and sometimes indeed; as it frequently happens in new experiments, with too much boldness. For in cases of diseased livers, abscesses of the stomach, and bad habits of body, there is little or no reason to hope, it will be attended with success. Wherefore some precautions are always necessary to be used before attempting it; the most material of which are laid down by those ingenious surgeons, Mr. Cheselden (1) and Mr. Sharp (2).

AFTER all I must confess, that, with what prudence soever the physician discharges his duty, the dropsy often returns. But that notwithstanding, a high value ought to be set on this discovery, by means whereof I have known many lives not only prolonged for several years, but made tolerably easy: and sometimes comfortable. Of which truth I could produce many examples, but shall content myself with the following one.

A widow lady, whose opulent estate served to render her virtues more conspicuous, fell into an ascites, in the fifty-first year of

(1) *Anatomy of the human body, Book iii. chap. 10.*

(2) *A treatise on the operations of surgery, chap. 13.*

of her age. For this she was tapped ; but as she soon filled up again, the operation was repeated once a month for the first year ; and at each tapping, one with another, there were drawn off forty four pints of water. The next year she was likewise tapped every month, and the whole quantity being equally divided, made twelve pints each week. The third year the quantity of water began to diminish, so that there was but twenty-four pints for every month. And in the fourth and fifth years, and seven months of the sixth, in which time she underwent thirty tapplings, each tapping amounted only to sixteen pints. After the last time she began to grow weak and waste away ; and she was seized with almost a constant difficulty of breathing, as we observe in a droply of the breast, attended with frequent faintings ; whereas before, through the whole course of the disease, in the intervals of tapping, she was chearful in conversation, used exercise, and even diverted herself with dancing. But now life began to sit heavy upon her, and she died at length a very easy death. Now it is very surprising that a human body in that space of time, could furnish such a vast quantity of water, to wit, one thousand, nine hundred and twenty pints ; and it is my opinion that
this

this water was first collected in the ovaries. In fine this good lady, for the information of posterity, ordered by her will, that the following english inscription should be engraved on her monument.

*Here lies Dame MARY PAGE,
Relict of Sir GREGORY PAGE Baronet.
She departed this life March iv. M^DCCXXVIII,
In the LVI year of her age.
In LXVII months she was tapped LXVI times,
Had taken away CCXL gallons of water,
Without ever repining at her case,
Or ever fearing the operation.*

AND this monument is now to be seen in *Bunkil Fields.*

EQUALLY remarkable, but happier in the event, is the case contained in the following account. A maiden gentlewoman of seventeen years of age observed, that her belly swelled gradually, and that she made but little urine. She took various medicines, but still grew worse for a whole year; when her *abdomen* was as much distended as if she had been far gone with child. At this juncture she married, in hopes that a husband would prove her best physician. But it happened quite otherwise; the dropsy went on encreasing for three years, when it

came

came to that highth, that there was reason to fear her belly would burst. Her pain becoming now intolerable, she desired me to order her to be tapped by a surgeon of the hospital, who was said to have good success in that operation; in order to give her some ease at least. Whereupon, as I did not care to be thought to kill a patient, whom I could not cure, I told her, that it could not be done in so emaciated a body, without extreme danger. However the miserable patient still continuing to urge me with earnest entreaties, not to abandon her to constant tortures and a lingering death; I granted her request: and at one tapping, managed in the manner above described, there were drawn off sixty pints of clear water, quite free from any offensive smell. From that time she gathered strength daily, the disease never returned, and at the end of ten months she was delivered of a lusty boy, and has since had several children.

In fine a strong argument for the necessity of this operation is, that it is much safer, under proper restrictions, to let out the water; than to wait till it bursts the belly, and comes forth. For this case sometimes happens, and is always attended with the utmost danger. However I have seen one instance

instance of a recovery from it, in a woman, to whom I was called. Her belly was so vastly stretched with water, that I pronounced the case incurable; because she seemed not to have strength enough to bear the proper evacuations. But I was mistaken. For in a few days, hearing that she was still alive, I made her another visit; and was much surpris'd on seeing two vessels full of water, one containing twelve pints nearly, and the other six. The first quantity came away in one day through a crack in the *abdomen* near the navel; and the second issued the next day from another crack, which happened near the same place: thus nature wisely divided her remedy, and allowed it two days to operate. As I now found the patient excessively weak and faint, I ordered her nothing inwardly but cordials; but gave directions to foment the *abdomen* with spirit of wine; and withall made my prognostic that she would soon die. But, *mulieri, ne mortuæ quidem, vix credendum est*; I was mistaken a second time: for I saw her some months afterward quite recovered; nor did she ever relapse, as far as I could learn: and the cracks or burstings of her belly united, without any other application, but that above-mentioned.


I CLOSE this long chapter with the history of a case, whereby it will appear, that nature sometimes employs a very different method from that above described, to ease herself of her load. I attended a certain merchant for an ascitical dropsy, with another physician of great experience: and after trying the usual remedies to no purpose, we resolved upon the *paracentesis*, as the ultimate resource. Accordingly the operation was performed, and about twenty pints of thin clear water were drawn off. In a few weeks his belly filled again. Whereupon we agreed to meet the surgeon the next morning, in order to draw off the water by a second tapping. As soon as we came to the patient, he looked at us, and smiled; saying that he had no occasion for any sort of assistance; and stripping off the cloaths, he shewed his *abdomen*, which was soft and relaxed. At this we were vastly surprized, and having asked him if he had had any kind of evacuation in the night, he assured us that he had had none, either by stool, urine, or sweat, more than usual. Wherefore all the water must have been absorbed by the glands and capillaries of the *peritonæum* and adjacent membranes. But afterward this patient very imprudently committed

committed himself to the care of a certain quack, who, to prevent a return of the disease, gave him very strong cathartics, which so exhausted him that he soon died consumptive. Yet upon dissection there was little or no water found in the *abdomen*.

ANATOMISTS have long since discovered, that water is absorbed from the belly into the circumjacent parts. For if a pint of warm water be injected, through a small wound, into the *abdomen* of a live dog; and his *abdomen* be laid open a few hours afterward; not a single drop of the water will be found therein. Thus, as *Hippocrates* has justly observed, *every part of the body, both outward, and inward, is perspirable* (1). But I refer the reader to the perusal of what the learned Dr. *Abraham Kæstner* has published on this subject: who demonstrates that the humours are admitted into, and transude thro' all the membranes of the body, both in health and sickness (2).

(1) Ἐκπνοὸν καὶ εἰσπνοὸν ἔστιν ὅλον τὸ σῶμα. *Epidem. vi.*

(2) In a book intitled: *Perspiratio dicta Hippocrati per universum corpus anatomicè illustrata.* Leyden, 1738.



CHAPTER IX.

Of the diseases of the liver.

THE liver is liable to very many diseases; because the affections of this organ are for the most part owing to the bile, which may be vitiated several ways. But the most common of all is the jaundice; and as what authors have written on this distemper has not given me thorough satisfaction, I think proper to enquire with some care into its nature.

SECTION I.

The Jaundice.

THE bile is a kind of natural *sapo*, that is, a mixture of oil, water, and salt, both volatile and fixt, separated from the blood in the liver for various uses of the animal body. And as the blood itself may be vitiated many ways; it is no wonder that this

G

humor

humor is sometimes rendered unfit for its offices. Now it is often faulty by its *lensor* or visciduity, and sometimes also by its excessive thinness. In the first case the secretory glands of the bile are obstructed, and the small quantity of it that is secreted stagnates in the hepatic ducts; whence the liver grows hard, and under its tunicle are formed whitish concretions, resembling hard soap. But this disease arises, not only from the visciduity of the bile, whereby it stops in its passage, but also from its want of due consistence. For here the volatile salt, which is one of the compounding principles of the bile, over-abounds; whence the bile becomes too thin, hot, and irritating to the intestines. In the former case, the body is too costive, and the *fæces* are hard and of a clay colour; in the latter a *diarrhæa*, attended with a fever and thin yellow stools, constantly teizes the patient. Persons who spend their lives in a sedentary manner, without proper exercise, are most liable to the former; because the oily part of the bile grows too thick and viscid for want of a due proportion of salt: and those who render their faculties useless, by too high feeding and drinking spirituous liquors, are generally most exposed to the latter.

BUT

BUT there is another species of jaundice, owing to a very different cause from those above described, and that is, to nervous spasms; when the subtile elastic fluid of the nerves, by becoming too acrid and irritating, constricts the bile ducts to a degree of hindering its passage thro' the liver: and consequently it must remain in the blood, and thence be thrown on the different parts of the body. That something of this same kind follows upon violent colic pains, and the bite of the viper, we have shewn in another place (1).

I MUST also observe, that there sometimes happens another sort of constriction, occasioned by the schirrhusity of the abdominal glands; in which case, though the liver and gall-bladder be loaded with bile, yet no part of it can pass into the intestines: of which I formerly saw a remarkable instance in the hospital. It was in a working man of forty-two years of age, who, five months after recovering from an acute fever, was seized with an inflammation in the right *hypocondrium*: of which when he was relieved, he fell into an obstinate jaundice, with costiveness and clayey stools, and died in a

G 2

short

(1) *Mechanical account of poisons, Essay I. edit. iv.*

short time. Upon opening the *abdomen*, we found four pounds of pure blood, in appearance at least, floating in it. We wondered whence this blood proceeded, but soon observed some little membranes, which seemed to be the pieces of a bursted sack; and the *omentum* was mortified in this place. The *pancreas* was not only schirrhous, but also cancerous: for upon cutting into it, there flew out into the surgeon's face some drops of serosity of so acrid and corrosive a nature, that they burnt the skin like oil of vitriol. The spleen was schirrhous likewise. The gall-bladder was very large, and full of bile; not yellow, but of a dark green, and too viscid. There was no schirrhosity in the liver; but in what part soever it was cut, the same sort of bile issued. In fine we observed, that every part of the body, membranes, fat, glands, nay the very substance of the ribs, was of a yellow hue, except the muscular fibres alone; which were not in the least tinged. Upon pressing the gall-bladder with the fingers, we could not force one drop of bile into the intestines: for at the union of the hepatic duct with the cystic the passage was so vastly streightened, that it would not admit a style. And my reason for relating this case is, to make appear,

pear, from how many different causes, and some of these fatal, this disease may arise.

A DISEASE attended with such a variety of circumstances, requires different methods of cure. In case of costiveness with ash-coloured or whitish stools, *saponaceous* medicines, both alone, and joined with *rhubarb*, are necessary. When the belly is too loose, the looseness is rather to be moderated than stopped; which is best done by *rhubarb* with the admixture of an anodyne. But *paregorics* are never more proper in this disease, than in those cases, which we have said to be owing to a constriction of the biliary ducts by nervous spasms. But in every kind of jaundice, attended with actual inflammation, blood is to be drawn; and generally speaking a vomit is to be given.

THIS inflammation frequently suppurates, and turns to a *vomica*; from which if pure white matter issues, it is a promising sign, because the evil lies in the tunicle or outward membrane. But if the whole substance of the liver is consumed by it, the patient labors under a slow fever and great anxiety for a good while, and then dies. This cruel disease is very frequent in the *East-Indies*, as I have been assured by travellers;

vellers; and is sometimes cured by applying a caustic to the part, and letting out the humor. But the ulcer must be kept open a considerable time, as in the case of issues. This disease is taken notice of by the learned *Bontius*, who gives a method of cure, not much unlike that above described (1). And *Celsus* observes, that the same method was formerly practised by some physicians (2).

LASTLY, for correcting the bile itself nothing is more useful than the following draught.

Take of *lemon juice* six drachms; of *salt of wormwood* half a drachm; of *simple cinnamon water* one ounce; of *double-refined sugar* one scruple: mix.

And it will be of service likewise, in case of a looseness, if its irritating quality be duly checked by opiates. Upon the same principle *Mynsicht's elixir of vitriol*, taken in *Bath or Spa water*, is a very good medicine.

(1) See *Hist. nat. et medic. Ind. orient. Lib. ii cap. 8.*

(2) *Lib. iv. cap. 8.*

SECTION II.

The diabetes.

THE *diabetes* is an excessive discharge of urine, of the taste, smell, and color of honey; and that it is not a disease of the kidneys, as has been generally thought, but of the liver, I think I have proved elsewhere beyond contradiction (1). I shall here avoid a repetition of what I then said on that head; and shall only add one medicine more, viz. *aluminated whey*, which is made thus.

Take four pints of *milk*, boil it a little, and turn it with three drachms of *alum*.

If four ounces of this be taken three times a day at least, it will contribute much towards stopping that flux.

Now if it be asked, whence can so great a quantity of water be supplied, as is discharged in this distemper; my answer is,

(1) *Mechanical account of poisons, Essay I. edit. iv.*


that we find by easy experiments, that certain bodies sometimes attract and imbibe the watery particles floating in the air; whereby they are more or less encreased in bulk and weight. Thus the *salt of tartar*, exposed to moist air, encreased so prodigiously, that a single pound of it duly calcined swells to ten pounds weight. Therefore why may we not say, that some of the vapors of the ambient air enter into the human body, when properly disposed to receive them.; and these, being added to the ferosities, which are to be conveyed to the kidneys, and there secreted, encrease their quantity? Upon which account, as cold and moist air is very improper for persons in this distemper; so they ought, if practicable, to go into a warm and dry climate.

In fine, in order to account for the infrequency of this disease among the ancients, which was such, that *Galen* says he saw it but twice only (1); I am of opinion, that this proceeded from their manner of living, so very different from ours. For I have said that this disease most frequently happens to those, who without due exercise indulge themselves in drinking vinous liquors;

(1) *De locis affectis, Lib. vi.*

and then quench their thirst arising from these, by too great a quantity of such as are cooling. Whereas the ancients, though perhaps too much addicted to wine, were yet more prudent in this particular; for after a debauch they return'd to temperance by degrees, cooling their bodies gradually, and quenching their thirst with warm drinks, or such at least as were not actually cold.





CHAPTER X.

Of the diseases of the kidneys and bladder.

BEFORE I proceed to the cure of the diseases of the kidneys and bladder, it will be proper to premise a few things concerning these diseases; the nature of which does not seem to have been explained by medical writers with sufficient perspicuity; though the knowledge of this point is very material for the cure.

I WELL remember, and have mentioned it upon another occasion (1), that the dissection of a boy about five years old, who died of severe nephritic pains, at which I assisted many years since, afforded me an opportunity of observing the various degrees, by which the human *calculus* had acquired the hardness of stone. For the kidneys and ureters were quite stuffed with a calculous

(1) *Influence of the sun and moon*, page 61.

lous matter ; and it was very instructive to see the different degrees of concretion in the several parts of it, from a clear limpid water to a milky liquor, which shot into slender branchy crystals ; and these coalescing became a hard friable substance.

HELMONT, well versed in chemical experiments, says (2), (and I think not without reason) that the matter of the *calculus* is a certain tartar formed in the kidneys by a præternatural coagulation. For this opinion seems to be confirmed by the analysis of the stone made by fire, and compared with that of tartar from *Rhenish* wine. This experiment was made by the ingenious Doctor *Stephen Hales* (3), who found in tartar of *Rhenish* wine, that the third part of the whole mass is an elastic air ; and that above half the *calculus* consisted of the same sort of air : which proportion of air he could never find in any other bodies.

THEREFORE may we not conjecture with probability, that the proximate cause of this disease is tartarous salts conveyed out of the blood into the small ducts of the kidneys ?

(2) See *Supplementorum paradoxum numero criticum*.

(3) *Statical essays*, vol. 1. p. 184 and 193.

kidneys? For it is the nature of these salts, to contain and imprison a considerable quantity of that subtil matter, which the illustrious *Newton* has shewn, besides its other properties, to be the cause of the cohesion of bodies (1). Thus the *calculus* is a substance composed of earth, and a very large share of air, concreted in the renal ducts; and either remains therein, or drops down into the urinary bladder. Upon the whole, I have been the more particular on this head, in order to shew the several ways of treating this distemper.

AND first, to prevent those salts from shooting into crystals, *lixivial salts* seem to be extremely proper. Next, to keep the crystals from coalescing into a calculous substance, oily medicines are very efficacious. And this rule ought always to take place with regard to diet as well as medicines.

BUT when calculous concretions are actually formed in the kidneys, and are to be brought away by the ureters, the case requires very prudent management. It is a very common error in practice to give strong forcing diuretics, with an imaginary view of driving

(1) See *The life of Mr. Boyle, prefixed to his works*, page 70.

driving out the gravel with the urine: whereas this intention is answered with greater safety, in most cases, by relaxing and lubricating medicines; especially if, in case of violent pain, bleeding be premised, and anodynes interspersed. For a stone is never forced out, while the patient is in great torture; though, when the pain ceases, it sometimes comes away unexpectedly, and almost of its own accord, with the urine. And the reason of this is, that pain constricts the fibres of the parts; which resume their natural state, and perform their functions properly, when the troublesome sensation is over. Wherefore three or four grains of *opium*, dissolved in five or six ounces of the *common decoction*, may be given by way of clyster; which will greatly relieve the pain, and sometimes procure greater advantages. However, there are conjunctures, after the pain is abated, when powerful diuretics may be administered; but with this precaution, that as soon as they have had their effect, they are no longer to be continued.

ALL this time the body should be constantly kept open: wherefore in case of costiveness it will be expedient to give a *turpentine clyster*; and sometimes to purge gently

gently with *infusion of sena and manna*: but strong cathartics are to be avoided.

OF the lubricating medicines above-mentioned the chief are, *oil of sweet almonds, syrup of marsh mallows, emulsions made with almonds*, and the like; to which may be added the use of the warm bath. But among the powerful diuretics *turpentine and soap* are the best.

SUCH is the course to be pursued in the paroxysm of the disease. But out of it the patient should use bodily exercise, especially riding every day, but so as not to fatigue: his food should be mild and of easy digestion; and his drink either small wine and water, or new soft ale; which will be rendered better and wholesomer, if *ground ivy leaves* be infused in it, while it is working. Mead is likewise a proper drink; for honey is an excellent diuretic. A spoonful also of honey in a glass or two of the infusion of *marsh mallows roots* is an admirable cleanser of the kidneys, if used for a constancy. The wines ought to be the softest and smoothest that can be had; and the lightest, clearest river or running water is preferable to all other. For, as *Pliny* says, *those springs are particularly condemned, the waters of which*

line

line the vessels, in which they are boiled, with thick crusts (1).

But particular care should be taken, not to put the patient into a course of powerful diuretics, with a view of preventing the gravel from concreting in the kidneys: because, whatever great things may be said of this sort of medicines by ignorant pretenders, they certainly injure the parts by their heat and acrimony. Nor can I avoid observing, though I am extremely sorry for the occasion, that some gentlemen of the faculty a few years since acted a part much beneath their character, first in suffering themselves to be imposed on, and then in encouraging the legislature to purchase an old woman's medicine at an exorbitant price; by vouching that it was capable of breaking the stone in the bladder, and bringing away the fragments with the urine. This medicine is a composition of *soap and lime* made of different *shells*, which every body knows to be highly caustic. And while the scheme was carrying on, some stones, cut out of the bladders of patients, who had used the medicine, were very industriously handed about, as a testimony of its lithontriptic quality; because these stones had in-

equalities

(1) *Nat. hist. Lib. xxxi. cap. 3.*

equalities and holes here and there in their surface, which were asserted to be erosions made by the medicine. But those gentlemen ought to have known, that stones are sometimes naturally formed in the bladder with such inequalities and pits on their surface, as may be mistaken for real erosions: several examples of which have fallen under my own observation. So great is nature's variety in forming calculous concretions. But upon this subject I refer the reader to a very useful book published some years since by a skilful anatomist and physician; in which both the mischiefs done by this medicine, and the artifices employed to bring it into vogue, are set in a clear light (1).

Now, whereas such vast encomiums were bestowed on this new medicine, as it was then called; it is no way strange, that our legislature should desire to purchase the manner of making it at almost any price, in order to publish it for the benefit of the commonwealth. And indeed the purchase redounds as much to their honor, as it does to the discredit of their advisers; who ought to have known, that things endued with

(1) *Parson's Description of the human urinary bladder, &c.*

with such a corrosive quality, as to be able to dissolve the stone, could not lodge in the bladder without injuring that organ. Upon the whole, that composition, under due management, may be of some service in expelling gravel by the urinary passages; but it will never be able to break *calculi* of the hardness of stone: and besides, its long continued use must be attended with great danger, for the reasons above given. And as for its substitute, the *soap leys*, though it be a medicine of a more commodious form for taking; yet it will not prove much safer in its consequences, for the same reasons.

NEVERTHELESS, as nothing ought to be disguised, no truth concealed, in a matter of such moment: I think proper to take notice of what the learned Dr. *Robert Whytt* of *Edinburgh* found by experiments relating to the present inquiry (1). For that gentleman, after seriously considering the inconveniences, and sometimes the mischiefs also, of this celebrated specific, resolved to omit the *soap*, and try what virtues *lime-water* might have in dissolving the *calculus*. His first experiments were

made

(1) *Medical essays, Edinburgh, Vol. v. essay 69.*

made on several fragments of *calculi* with lime-water from common quick lime ; and afterward resolving to try the power of animal lime, he repeated them with lime-water made with oyster-shells and cockle-shells well calcined, by pouring seven or eight pints of water on one pound of the fresh-calcined shells. The experiments succeeded with both sorts ; but he soon found that the oyster and cockle-shell lime-water possessed a much greater power of dissolving the *calculus* than that of stone-lime. Then he proposes the method of drinking the shell lime-water, the quantity of which may amount gradually to four pints every day for adults, and for children less in proportion : and he concludes with instances of the happy effects of this method.

HIS whole dissertation is very well worth the perusal. And I have given this short account of his method with the great pleasure, because an eminent physician here in *London* lately assured me that he cured a certain merchant, who was grievously afflicted with the stone, by this very method : whereby he discharged by urine a great number of small pieces, some like the coats, others like small *nuclei* of stones. But it is never to be expected, as I have said above, that

that stones, which have acquired a degree of hardness little inferior to flint, can be broken or dissolved by any medicine, whatsoever.

THEREFORE, I heartily congratulate my fellow-citizens upon the skill and dexterity of our surgeons, who have invented a new way of cutting for the stone with greater safety and dispatch (1). For now not only children and youths, but also persons advanced in years, may submit to this operation without great danger: and in case the stone prove too big to be extracted without tearing the neck of the bladder, it is now no longer necessary to split the stone (before the extraction); the invention of which is ascribed to *Ammonius*, a *Greek* physician, who from thence was surnamed (λιθοτόμος the lithotomist (2).

(1) See *Cheselden's Anatomy*, chap. vi. of the fifth edition.

(2) *Celsus*, Lib. vii. cap. 26.





CHAPTER XI.

Of the diseases of the eyes.

THE diseases of the eyes have been treated of by medical writers with such care, that I think it almost unnecessary to say any thing here concerning them. Among the ancients *Celsus* (1) in particular, and among the moderns *Plempius* (2), have most accurately enumerated and distinguished them. The former indeed was possessed of the works of the *Greek* physicians and surgeons, which are not come down to us, and out of which he selected several very good medicines with great judgment : and the latter has made use of all the modern discoveries, to improve the practical part. To these two authors I would add a book composed by two eminent mathematicians ; in which every thing relating to vision is explained with great per-

(1) *Lib. vi. cap. 6.*(2) *Ophthalmographia, Lovan, 1659.*

perspicuity (1). And Dr. *Porterfield's* dissertations on this subject (2) are extremely worthy of a serious perusal.

WHEREFORE I shall content myself with making a few remarks on some very considerable diseases of the eyes, the nature of which has not been sufficiently understood by the generality of practitioners.

SECTION I.

Of the gutta serena.

WHAT the *Greeks* named ἀμαλῆσις, and the *Latin* writers of the lower ages expressed by the barbarous word *gutta serena*, is a very severe disease, and of very difficult cure. It proceeds from various causes, of which the most common is an obstruction gradually formed in the arteries of the *retina* by a sily blood. For the consequence of this obstruction is, that the rays of light, which should depict the images of objects on the bottom of the eye, fall in

(1) *A compleat system of opticks*, by Robert Smith L.L.D. with an essay upon distinct and indistinct vision by James Jurin, M. D. Cambridge, 1738.

(2) See *Medical essays published at Edinburg* Vol. iii. pag. 160. and Vol. iv. pag. 124.

falling on these dilated blood-vessels, produce no effect; whence the sight is either diminished, or entirely lost, according to the degree of the obstruction. Again, this disease is sometimes owing to a palsy of the nerves of this same membrane; as it in some measure destroys their sensibility; whereby the impulse of the corpuscles of light on them is not sufficient, to make them transmit objects to the brain. In fine, I have observed that this species of blindness is also occasioned by a pressure on the optic nerves, either by the extravasation of a glutinous humor, or by a hard tumor formed upon the place, where they pass from their *thalami* into the eyes: whereby the passage of the animal spirits to the brain is totally intercepted.

So many are the accidents incident to the eye even in one disease. Let us now consider how to preserve this organ, which has so great a share in making life useful and agreeable.

AND first we ought to know how to distinguish the several species of the *gutta serena* above-mentioned, and their good and bad symptoms.

WHEREFORE

WHEREFORE a gradual dilatation of the pupil is a sign of an obstruction in the blood-vessels by a fizy blood. For this dilatation is the work of nature, in order that the detriment, which the sight suffers by many of the rays of light falling on the small arteries, instead of the nervous *fibrillæ*, may be compensated by taking in a greater number of these rays. Hence the palsy of the nerves, with which they are frequently struck at once, seldom or never occasions this dilatation. But the pressure on the optic nerve, either by an extravasated humor, or a tumor gradually encreasing, is attended with a wider pupil for the aforesaid reason.

UPON this principle it is, that the second and third species of the *gutta serena* may be deemed incurable. For what medicine can be adequate to the removal of a sudden relaxation of the nerves, or of a load of extravasated humors, or a tumor formed within the skull; which are rendered inaccessible by their very situation? Wherefore 'tis only the first species of this blindness, that is curable. Unless there may perhaps be some faint hopes of relieving that

that sort, which proceeds from a palsy of the *retina*, by antiparalitic medicines; of which the principal are *aromatics*, *chalybeates*, and the *fætid gums*.

BUT it is time to come to the cure, which in general consists in removing the obstruction of the vessels, and correcting the lentor of the blood. Wherefore first of all blood is to be drawn both from the arm and the jugular, and to be repeated according to the degree of the disease. And it will be of use to apply cupping glasses, with deep scarifications, under the *occiput*; in order to let out blood this way from the *lateral sinuses* of the brain. Then it will be necessary to give cathartics, especially such as purge gross humors. But as nothing is found more powerful than quicksilver for inciding and expelling gross and viscid humors, it will be very proper to join *calomel* to other cathartics; or rather to take it by itself, and a few hours after it, some gentle purgative.

AND this method often succeeds, when the disease is beginning or recent; but if it be of some standing, it requires a more powerful treatment, that is, a plentiful salivation raised by mercurials taken inwardly

ly in small quantities, and at short intervals. For mercury, by its extraordinary weight and divisibility into extremely minute globules, penetrates into the inmost recesses of the body, scours the glands and vessels, and carries off the *sordes* by the most convenient outlets.

I MADE the first trial of this course on poor patients in the hospital, when I was a young practitioner, and afterward on others, who thereby recovered their sight; for which I was complimented by the physicians, who till then had looked on the disease as incurable, especially if confirmed by time. Now the motive, which determined me to try the effect of this course, was, that I had found by the laws of optics, that certain corpuscles floating in the aqueous humor of the eye could not be the cause of this disease, according to the common opinion; because they must be too near the bottom of the eye to be able to depict their image there. Wherefore there was a necessity of seeking some other cause; and whether I have found the true one, is entirely submitted to the mathematicians. For my part, I cannot help thinking, that this invention is a remarkable instance of the great use of true mathematical
H know-

knowledge toward establishing a right method of practice.

S E C T I O N II.

Of the cataract.

THE cataract, by the *Greeks* named *γλαύκωμα*, by the ancient *Latins* *suffusio*, and by the moderns *cataracta*, is an opacity of the chrystalline humor, which from transparent is generally changed to a greyish colour; whereby the passage of the rays of light to the bottom of the eye is intercepted.

PHYSICIANS in all former ages were of opinion, that this species of blindness was owing to a membrane preternaturally growing before the crystalline humor, and covering its anterior surface in the manner of a veil; and that the sight was restored by depressing this membrane with a needle. But the erroneousness of this opinion has been at length discovered and demonstrated in this century. For in the dissection of eyes, both of persons who had been afflicted with cataracts, and had never been couched; and of others, on whom the operation had been performed with success; there was not the least appearance of a membrane,

membrane, but the dryness, hardness and opacity of the crystalline humor or lens was found to be the cause of the disease (1).

HOWEVER I must not omit taking notice, that a real membrane has been sometimes found, though the case be very rare (2 :) an instance of which has been lately shewn me by our excellent anatomist Dr. *Thomas Lawrence* in an elegant preparation of a child's eye injected by him ; in which there plainly appeared a membranous expansion that covered the pupil, and had its blood-vessels filled with the injection. And hence I draw this general inference, that although it be very certain, that in most cases of this disease it is the crystalline humor that is removed out of its place by the operation ; yet it may sometimes happen, that the needle depresses a membrane, which by some accident was grown hard and opaque.

UPON the whole, the hand of a skilful surgeon is the only remedy in this disorder. But the operator ought to wait for

H 2

a cer-

(1) See *Antoine Maitre*.—*Jan. Traité des maladies de l'oeil*. Troyes, 1707.

(2) See *Histoire et mémoires de l'academie royale des sciences*. Paris, 1708.

a certain degree of ripeness of the cataract, and give attention to other circumstances; in order to determine the time of performing the operation with safety and a prospect of advantage.

SECTION III.

Of the *albugo*.

THE *albugo*, or white speck in the eye, is likewise a troublesome disease, which is more or less offensive to the sight, according to the greater or lesser portion of the transparent part of the *cornea*, affected by it. For sometimes it fixes on the exterior surface only of this membrane, sometimes on the interior; and sometimes in fine it runs more or less deep into it.

It is most commonly the consequence of inflammations, by the extravasation of humors between the membranes of this tunicle; and particularly in the small-pox, by the suppuration of pustules upon this part.

I HAVE made use of two methods of cure for this disorder of the sight; the one in the outward sort; the other in the inward.

inward. In the former case I ordered the following powder.

TAKE of *common glass* any quantity,
Pound it in a mortar into a very
fine powder: then add an equal
quantity of *white sugar candy*, and
levigate the mixture on a marble
with great labor, till it becomes
quite impalpable.

A LITTLE of this powder put into the
eye with a quill, every day, gradually ab-
sterges and wears off the spot by its inci-
ding quality. The other method above-
mentioned of removing this speck is, to
order a dexterous surgeon to pare it cauti-
ously every day with a knife: for this tu-
nicle is composed of several *lamellæ*, one
over another; and has thickness enough to
bear paring off some of its parts. I have
seen several instances of cures by the eye-
powder; but the paring of the *cornea* has
not succeeded with me above once or twice.
However it is better to try a doubtful reme-
dy than none.

The force of odors.

I HAVE hardly any thing of great moment to propose concerning the rest of the senses ; except a few hints relating to the organ of smelling. For as daily experience convinces us of the great power of scents, both to do harm and good ; I think it may be of use to give some short remarks on them.

AND first, their mischievous effects in communicating contagious diseases are sufficiently manifest. For it is most certain, that the subtile *effluvia*, which issue from an infected body, being taken in with the breath, do infect a sound habit. Moreover every body is sensible at one time or other, that from this cause proceed headaches, and sickness at stomach by the acquired ill quality of the spittle. But on the other hand, nothing is more notorious than the great energy of odoriferous things in repairing our strength. And this is effected, either by the animal spirits being rouzed out of a state of oppression, or by being refreshed and recruited by such things as emit particles, that are friendly and agreeable to nature, applied to the nose.

For

For *effluvia* of this kind are, as it were, a proper food for the animal spirits.

Now, of all the odoriferous bodies hitherto known, the most powerful are *spirits* and *volatile salts* extracted by fire from animal substances ; and next to these are those animal glands distinguished by the names of *castor*, *musk* and *civet*. But there may perhaps be just cause to admire, that these bodies do not equally agree with all constitutions. For many are wonderfully refreshed by *musk* and *civet* ; whereas we see others, who are more or less over-powered, even to a degree of sickness and fainting, by the scents of these same perfumes ; and yet are refreshed and revived by *castor* and *asa foetida*. This difference seems in my opinion, to arise from a different habit of the nervous fluid in different persons ; and nature generally points out which of this class of bodies will be beneficial, and which hurtful, to each individual. Nor have I the least doubt, but that a sense of the efficacy of these things is conveyed to the mind by the fluid of the nerves. And such is the wisdom and goodness of the supreme Creator in the construction of our frame, that he has made those things pleasant to the senses, which are proper for the

preservation of life, or necessary for the propagation of the species. Nevertheless moderation is to be constantly observed in all these things, to prevent the allurements of pleasure from hurrying us into excesses, which may prove prejudicial both to the soul and body.



CHAPTER XII.

Of the gout.

THE gout is most commonly a disease of persons, who have too much indulged themselves in high living ; in which nature endeavors to throw the load of noxious matter out of the body upon the joints. Thus this disorder is rather to be deemed a crisis of the disease, than the disease itself : and in this view great care and prudence are required, to facilitate nature's attempt in producing the effect. Wherefore the pain is by no means to be mitigated by external remedies of any kind whatsoever. For by attempting this the gouty humor may be thrown back upon the vital organs in an instant; and the patient's life put into imminent danger ; which seems to afford a remarkable proof that this violent commotion in the body is owing to a very subtile and active fluid, and such is the nervous juice. But in case this firey humor should happen to remove from the limb into the

body, all possible means ought to be used, to make it return on the part. And this is to be done by blood-letting; the warmer cathartics, which are not violent in their operation; alexipharmacs; and above all by epispastics laid on the limbs, with regard always had to the place affected. For nothing is more desirable, than that the evil should fix for several days on those parts of the extremities of the body, which it has first taken possession of; because when it once returns into the habit, it is with great difficulty driven out again: so that perhaps it may be justly said, that the *gout is the only cure of the gout.*

THE seat of this disease is the ligaments of the joints, the tendons of the muscles subservient to their motions and the membranes surrounding the bones. And when the acrimonious humor has fallen on these parts, it irritates and frets them: hence arises an inflammation, and a painful tumor is formed by the ouzing of the thinnest part of the juices out of the minutest ramifications of the arteries and nerves. For nature makes use of pain as an instrument; and the sharper it is, the more speedily and safely she finishes her work. Sometimes indeed she does it slowly, as if she

she neglected her duty ; and in some habits of body she protracts the torture a longer time than usual, as if her intention was to divide her medicine. But when the tumor subsides, part of the extravasated humor, which could not perspire through the pores of the skin (and there is but a small portion of it indeed, that is exhaled this way) is absorbed into the veins and lymphatics : while the thickest part of it sticks to the membranes ; and fresh quantities of it being lodged there in every fit of the gout, it sometimes concretes into hard masses, commonly called chalk-stones, which by degrees stuff the joints, and destroy their action.

As to the medical treatment, different methods are to be pursued in the fit, and out of it. Quiet is not only indicated but enforced by the very incapacity to motion. In case of a fever, the diet should be the same as in acute diseases ; otherwise, common food of easy digestion may be allowed. For great care must be taken of the stomach and strength. And this circumstance, which I have scarcely ever remarked in any other distemper, is here to be observed ; that when the gout has seized the stomach, this organ becomes so cold
and

and torpid, that wine seems no stronger than water; and it requires and easily bears the hottest liquors, such as spirits drawn from wine. Wherefore not only generous wines are to be given in pretty large quantities; but also vinous spirits, rendered more efficacious by the infusion of *snake-root*, *ginger*, or *garlick*. And if these should not prove powerful enough, it will be proper to order the powders of *snake-root*, *ginger*, and *long pepper*, mixed with the *cordial confection*, to be taken by the mouth.

IT has been disputed among physicians, whether, or not, a vein may be opened, when the pain in the joint is extremely severe. Now, to settle this point, we ought never to forget, that this pain is highly necessary for tumefying the part, and therefore ought to be borne with patience. This however notwithstanding, seeing it is certain that excessive heat is an obstacle to the natural secretions from the blood, which are necessary for health; if the fever run very high, and especially if it be attended with a *delirium* or difficulty of breathing, blood-letting will not only lessen the pain, but likewise happily promote the issue of

of the humor (1). Nay it will be requisite to repeat the operation, when there appear signs of a comatose disposition. For I have very frequently observed physicians to be too timorous with respect to this evacuation, from a notion that it would prevent the gouty humor from being thrown upon the joints. Upon the whole, one effect of blood-letting is, generally to make the disease abandon the place where it was lodged: and the great benefit of this removal in several cases is manifest. But as for anodynes, they are not to be allowed, excepting in vomiting and loosenesses. Nor do gouty people (to say it once for all) bear cathartics well, till the paroxysm is over; and then they may be given, to carry off the remains of the morbid humor, which raised the tumor.

OF greater difficulty and moment is the question concerning the regimen, whereby a person may entirely rid his constitution of this tormenting disorder, and keep it off for the future. Upon which the first consideration ought to be, whether that can be done with sufficient safety and advantage to the patient. For as to elderly people,

(1) See *Discourse of the small pox*, chap. iii.

ple, who have been accustomed for many years to returns of the disease ; if the fits come on no more, their bowels are attacked instead of their joints ; and besides they are seized with such weakness in their legs and feet, that the remainder of their life is quite miserable : and of this I have seen more than one instance in persons, who had absolutely confined themselves to a milk and vegetable diet.

THEREFORE if any one be desirous of trying the experiment, and running the risk of its consequences, let him remember that he ought to be young, and not to have had above two or three fits of the gout. Then let him obstinately abstain from wine and all other fermented liquors, and for drink confine himself to water. Let his food be milk and things made from it, and vegetables ; besides which he may make one meal a day on flesh of the tender sort, such as that of chickens, fowls and rabbits, and now and then on fresh-water fish. Let him use daily exercise, but with moderation. By this course of living I have known some live comfortably to a good old age, without the least attack of the gout. Of such consequence it is to live according to nature, that is, to practice temperance. And a
trial

trial of this course of life is in a peculiar manner adviseable for those, who may expect to be punished for the irregularities of their parents, not for their own, by a hereditary gout; in order to prevent its seeds, sown in their blood and nervous fluid, from producing disagreeable fruits in time.

I SHALL close the present chapter with this admonition, that although I said above with great truth, that *this disorder is rather to be deemed a crisis of the disease than the disease itself*; yet sometimes, especially in old age, it is a very severe evil; when the strength is so decayed, and the limbs so weakened, that bodily motion is lost, and with it a considerable share of the comforts of life. However, this, like all other calamities, is alleviated by patience. And perhaps it may be some consolation to others, as well as it was to Sydenham, in the midst of tortures, that *great monarchs, potentates, generals, admirals, philosophers, and many others like them, lived, and at length died in the same manner* (1).

C H A P.

(1) *Traët. de Podagra. ed. 1. page 24.*



CHAPTER XIII.

Of pains in the joints.

THOSE pains of the joints, which are accompanied with inflammation and tumor, have an affinity with the gout. The proper method of curing them is by bleeding, blistering the parts affected, and, unless the fever runs high, by purging. If there be no fever, or but a slight one, a mixture of equal parts of *gum guaiacum* and *cinnabar of antimony* will prove a very good medicine, both to open the body, and correct the acrimony of the humors. It should be given so as to procure two stools at least every day.

OF all these pains the most severe is that, which the *Greeks* name *ισχιας*, (and we corruptly *sciatica*) because it seizes the hips; and it is attended with the greater difficulty, because it is most commonly the consequence

quence of chronical diseases, by the morbid matter being thrown on this part. This disease, when grown inveterate, weakens the thigh and leg, and makes the patient lame, and sometimes also the head of the thigh-bone slips out of the socket, and then the thigh soon wastes away.

IN this disease little is to be expected from cupping or blistering the part : for the acrid humor lies too deep fixed in the membrane surrounding the bone, to be drawn out by these means. More efficacious is the *volatile epithem*, or a plaister composed of *Burgundy pitch*, with about an eighth part of *euphorbium*, and a sufficient quantity of *Venice turpentine*.

BUT nothing gives so much relief, in an obstinate case especially, as a *seton* passed below the part affected, in order to give vent to the morbid humor. But if this operation be thought to be too cruel and troublesome for the necessity of it, it will be of use to make an *issue* with a caustic in the inside of the thigh above the knee ; which must be kept open till the disorder is quite removed. *Celsus* (1), following the example

(1) *Lib. iv. cap. 22.*


ple of *Hippocrates* (2), advises to apply the actual cautery in three or four places upon the hip. And indeed no remedy would be more efficacious than this, if patients could be reconciled to it: for how terrifying soever the sight of red-hot iron may appear, the pain from the application of it would be much sooner over, than that which is raised by the common caustics.

THE flesh-brush ought likewise to be used several times every day, in order to facilitate the digestion and dissipation of the concremented humor; and more especially on the very hips, if practicable. But fomenting the part affected with warm water is generally prejudicial: because this brings on a relaxation of the fibres, whereby the pain is encreased.

I NOW pass to internal remedies, the chief of which are bleeding and purging. Of cathartics the most efficacious are *dulcified mercury six times sublimed*, and the *electary of scammony*; either of which must be often repeated, according to the patient's strength. And in the intermediate days of purging,

purging, the proper medicines are such as are diuretic and laxative at the same time. Of this class I give the preference to the *volatile tincture of gum guaiacum*, or the *balsam of guaiacum*.





CHAPTER XIV.

Of the diseases of the skin.

I SHALL say nothing at present of those eruptions, which happen in fevers ; nor of the blotches and spots, which appear on the skin in scorbutic habits : because all these are treated of in their proper places (1) But of all the diseases, which infest the surface of the body, the most filthy is the *leprosy*. This is of two kinds, the one is named the leprosy of the *Greeks*, the other that of the *Arabians* : but I have considered them both in another book, with regard to their nature and method of cure (2).

THE disease next to this in foulness, but of a very different origin, is the *itch*. This first appears in a reddish roughness of the skin ; which is succeeded by pimples, that let out matter or a sharp ichor ; and the
exulceration

(1) *Chap. of fevers, and the scurvy.*

(2) See *Medica sacra*, chap. ii.

exulceration is attended with itching, and spreads by contagion. It may justly be called an animated disease, as owing its origin to small animals. • For there are certain insects, so very small as hardly to be seen without the assistance of a microscope, which deposite their eggs in the furrows of the cuticle as in proper nests; where by the warmth of the place they are hatched in a short time; and the young ones coming to full growth penetrate into the very *cutis* with their sharp heads, and gnaw and tear the fibres. Their bitings cause an intolerable itching, which brings on a necessity of scratching; whereby the part is torn, and emits a thin humor, which concretes into hard scabs. While the little worms constantly burrowing under the cuticle, and laying their eggs in different places, spread the disease.

HENCE the reason manifestly appears, why the disease is communicated by the linnen, wearing apparel, gloves, &c. which were used by infected persons. For the eggs, which had stuck to soft substances of this kind, are rubbed into the furrows of the cuticle, and are there hatched and nourished.


Now what is of greatest moment in this theory is, that the knowledge of the true cause of the disease naturally points out the cure. For neither cathartics, nor sweeteners of the blood, are of any service here ; the whole management consists in external applications in order to destroy these corroding worms, and this is easily effected. Wherefore first let the patient go into a warm bath, and then let the parts affected be anointed every day, either with the *ointment of sulphur*, or the *ointment with precipitate of mercury*, which is less offensive to the olfactory organs, instead of which a liniment may be made of *orange flowers* or *red roses*, the *mercurial red corrosive*, and *hog's lard*, pounded together ; which is of a very pleasant smell, and of equal efficacy.

ALL that I have said on this subject may be found in the *Philosophical Transactions* (1). For in the year MDCLXXXVII Doctor *Giovanni Cosimo Bonomo*, an ingenious physician, published a letter written by him in *Italian* to the celebrated *Redi* of *Florence*, concerning the worms of the human body ; wherein he fully handles this subject, and

(1) N^o 283.

gives the figures of these worms and their eggs. And when I was upon my travels in *Italy* ten years afterward, having got a copy of the letter, I made an abstract of it in *English*, and upon my return communicated it to the Royal Society.





CHAPTER XV.

Of scrophulous diseases.

THOSE hard swellings of the glands, which the *Latins* named *strumæ*, the *greeks* *χοιράδες* and we the *king's evil*, are very obstinate, and often perplex the physician; as they sometimes bring on a fever, and never mature kindly: and whatever way they are treated in order to open and cicatrize them, they generally break out again near the old scars. Their most common seat is in the neck, and in the armpits and groin, especially in children: but sometimes they appear on the thorax, and on the breasts of women. Moreover the humor often falls on the lungs, and brings on a pulmonary consumption: and indeed that disease is generally owing to a scrophulous cause in this and other northern countries at least. And it is a dreadful circumstance of the *evil*, that it is transmitted from parents to their children by way of inheritance, which it does not easily give up.

As

As to the cure of this stubborn disease, it is to be attempted by bleeding, purging, and such medicines as are most proper for correcting the visciditv, saltness, and acrimony of the humors. Of cathartics the best is *dulcified mercury six times sublimed*, which should be joined with *rhubarb* for children; but to adults it may be given alone, with a gentle purging draught some hours after it. The next to this in virtue is *jalap*. And our purging waters are also useful, as they scour the glands, and open the body at the same time. In fine a pil composed of *mercury six times sublimed* and *precipitated sulphur of antimony*, each one grain; of *albes* three or four grains, made up with the *syrup of balsam*, and taken every night, will be found serviceable not only in this disease, but in others arising from viscid humors.

THE medicines, which correct this pravity of the blood and humors, are for the most part of the diuretic kind, such as *burnt sponge*, the *diuretic salt*, and *vitriolated tartar*; which are the more proper, because they are somewhat laxative. To these may be added the *less compound lime-water*. For my part I have very often experienced the
I good

good effects of the following powder, taken twice a day, with three or four glasses of the aforesaid water.

Take of *burnt sponge* one scruple; of *purified nitre*, *coralline*, and *white sugar*, each ten grains, mix.

And if the patient happen to be emaciated, equal parts of milk may be mixt with the water. *Millepedes* will also be of some service upon account of their diuretic quality, especially the expressed juice thus prepared.

Take live *millepedes*, pound them with a little powder of *nutmeg*; infuse the mass in small wine; then strain off the liquor by expression, and sweeten it with honey, or sugar.

As to the patient's diet, which ought not to be neglected, let him feed on flesh of easy digestion, and fresh water fish; especially of the shell kind. Let him abstain from all salt meats and high seasoned things. Let him drink river water, and that boiled; but well or other stagnating water never, and least of all snow water. For we observe, that the inhabitants of mountainous places, the *Alps* especially, are naturally afflicted

affected with swellings of the glands of the throat :

Quis tumidum guttur miratur in albis (1)?

Issues are likewise beneficial, to drain off the vicious humor ; and a change of climate is often attended with good effects, especially if there be reason to apprehend the humor falling on the lungs : but the patient should be sent to a moderate climate, not subject to great vicissitudes of heat and cold.

LASTLY it is to be noted, that this disease, notwithstanding its stubbornness, sometimes entirely wears off, in young folks especially, without any medicinal assistance, by alterations in the habit of the body, which time and growth occasion : and I am of opinion, that this circumstance first gave birth to the custom of the *royal touch*. For when crafty men observed that the evil was of this nature, they easily imagined that they would please their kings, in perswading them to make this experiment of their power, and to introduce it with solemn rites and prayers ; whereby they might acquire reverence from their subjects, and convince them that they held their crowns by *divine right*. And

(1) *Juvenal. Sat. xiii. v. 162.*

it is not matter of wonder, if the princes took the bait, and sometimes believed that they were endowed with this gift from heaven ; since according to the poet :

—— *Nil est, quod credere de se*

Non possit, cum laudatur dīs æqua potestas (1).

Moreover the world is willing to be deceived ; and the experiment sometimes succeeded, though the success might probably be owing in a great measure to the force of imagination, which acts very powerfully in the cure of diseases. Hence our kings (unless when a prince of more than ordinary wisdom filled the throne) have for a long time conferred this favor on the credulous multitude with great humanity. But the *French* boast, that their kings had received this heavenly gift long before our monarchs.

(1) *Juvenal. Sat. iv. vers. 70.*



Augustus sent into *Arabia* under the command of *Ælius Gallus*. For he says, that while they were at *Albus Pagus*, the soldiers were seized with disorders of the mouth and legs, called *stomacace* and *sceletyrbe*, which are endemic in that country, and are a sort of relaxation proceeding from the waters and vegetables (1) Now to me it is very plain, that the unwholsome sea air, bad diet, and worse water, rendered that climate subject to those disorders: for *Ptolemy* in his *Geography* places *Albus Pagus* on the coast of the *Sinus Arabicus* or *Red Sea*. But to return from this digression: the poor patient above-mentioned had an irregular intermitting fever with a bad habit of body; and likewise an illnatured ulcer in each of his legs. By the use of medicines proper in the scurvy, I mean bitters and diuretics, he seemed to grow better: for one of the ulcers was by chirurgical applications entirely healed; but while the other was under cure, a gangrenè seized the part unexpectedly; which being scarified, in order to check its progress, the patient died suddenly. Upon

(1) Στομακάκη τε καὶ σκελοτίρη πειραζομένης τῆς σφατιάς ἐπιχαρίσις πάθεισι, τῶν μὲν περὶ τὸ σῶμα, τῶν δὲ περὶ τὰ σκέλη παράλυσιν τινα δηλῆται, ἕκ τε τῶν ὑδρείων, καὶ τῶν βοτανῶν. *Geograph. Lib. xvi. pag. 781. ed. Paris. 1620.*

opening the *abdomen*, we were struck with amazement at the monstrous size of the spleen. For it weighed five pounds and a quarter, whereas the liver weighed but four pounds and a quarter. But its bulk seemed to be its only defect : for it retained its natural shape and color, and had not the least schirrhosity or other hardness: and its inside was, as usual, of a dark livid hue, with lax fibres, and deep-colored blood.

FROM the above-mentioned ulcers the breath becomes offensive, the gums are corrupted, and turn livid and sometimes blackish; and upon pressing them lightly with the finger they emit a dusky gore. Besides they are so lax and flabby, that they quit their hold of the teeth; and these are sometimes so loose, that they may be all pulled out with great ease. In the mean time greenish and livid spots, like the remains of *ecchymoses*, appear on various parts of the body, as on the arms, buttocks, thighs, legs, and frequently all over the skin, so as to make it have the appearance of a jaundice. The patient is also tortured with severe gripings. And from this symptom it is, that the disease has obtained its name, being derived from the *Saxon* word *schorbock* or *schorbuck*, which signifies tearings of the belly.

BESIDES

BESIDES unwholesome waters, medical writers attribute the disease partly to salted provisions and pulse; which, as they are of different concoction, furnish the body with gross and improper nutriment. But they seem not to have sufficiently attended to a more universal cause, I mean bad air, which taken into the lungs is very prejudicial. This is particularly manifest in long voyages, in which the sailors are most severely afflicted with this distemper. Whereof we have a remarkable and moving account in the history of lord *Anson's* expedition to the *South Seas*; in which that great commander lost near a third part of his men by this cruel enemy; and the calamity rose to such a high pitch, that the *callus* of broken bones, which had been completely formed for a long time, was found dissolved, and the fracture seemed as if it had never been consolidated (1). Wherefore in these cases there certainly must be a high degree of corruption of the bodily humors, and even a degree of putrefaction: and the blood becomes so foul a mixture, that whencesoever it be drawn, it has nothing of its natural red color, but resembles a dark muddy puddle. Now as to the manner, in which the causes

(1) See *Anson's voyage round the world*. Lond. 1748.

abovementioned corrupt and putrefy the humors, it will be easily found by those, who are well acquainted with the properties and laws of motion in the animal machine; which I need not dwell on in this place, because I have pretty amply treated of them in a tract lately published, in which I demonstrated the usefulness of Mr. Sutton's machine for extracting foul air out of ships and other close places (1).

WITH regard to the cure, it is much easier to prevent the scurvy than to remove it; for when it has once taken root in the body, it is very difficult to drive it out by medicines. Now its best remedy is good wholesome air, and proper diet. Wherefore as soon as a person is taken ill, if he be at sea, he ought to alter his situation as soon as possible, and get on shore, to breathe the land air; but if on land, he should go into the country for the benefit of purer open air. And in both cases what flesh he eats should be fresh and tender; but the greatest part of his food ought to be vegetables, both such as abound in a volatile salt, as *scurvy-grass*,

(1) *Discourse on the scurvy, annexed to Sutton's historical account of a new method for extracting the foul air out of ships, &c. Lond. 1749.*

cresses, brook-lime, and the like; and those which are of a cooling nature, as *sorrel, endive, lettuce, purslain*, and others of this kind. And it will often be beneficial to eat all these, or some of each sort, promiscuously together. But the greatest service may be expected from subacid fruits, as *lemons, oranges*, and *pomegranates*, eaten frequently, upon account of their cooling and subastringent quality.


BUT I recommend to the reader the perusal of the abovementioned voyage, which is written in clear and elegant style, and, besides various interesting incidents, which must give pleasure to all orders of men, contains many things proper for physicians to know. Nor will he perhaps repent his trouble, in turning over what I wrote on this disease in the tract, wherein I explain'd the usefulness of Mr. *Sutton's* machine. There he will find a remarkable case of a *Dutch* sailor on board one of the *Greenland* ships, who was so wasted and disabled by the scurvy, that he was put on shore in *Greenland*, and abandoned to his fate: and yet by feeding on *scurvy-grass* (or rather grazing on it, for he had lost the use of his limbs, and crawled about on his hands and knees), he was perfectly cured, and was found the en-

suing

fuings season on the island, and brought home in health and vigor.

BUT it is time to close this chapter ; which I do by recommending *Mynsicht's elixir of vitriol*, taken in cold water at proper intervals, and sometimes the *styptic tincture* taken in the same manner, as very good medicines for checking hemorrhages, which are not uncommon in this disease.





C H A P T E R X V I I .

Of the hypochondriacal disease.

THE hypochondriacal disease is an indisposition of the whole body, and not of any particular part : and yet the abdominal *viscera*, viz. the stomach and intestines, the liver, spleen, pancreas and mesentery are chiefly affected in it, according to the peculiar nature of each of them. The stomach is disordered with frequent *ruētus* and flatulencies, the signs of crudities. The liver is swelled with thick viscid bile, obstructing its ducts. When the spleen is affected, the function of which seems to be, to convey a very fluid blood through its arteries, partly into its own cells, partly into the splenic vein, for the uses of the liver ; this blood grows so thick, as almost to stagnate in that vein, whereby this soft organ is tumefied and distended. If the *pancreas* be affected, the glands, which secrete the pancreatic juice, grow schirrhous in some degree, and perform

182 *Of the hypochondriacal disease.*

perform their office too sparingly : hence the bile, which mixes with it in the intestines, is not sufficiently diluted ; and the chyle being too thick passes with difficulty through the lacteals, and in some measure stagnates in its passage. When the *omentum* is disordered in this disease, the thin subtil oil, which is collected in its cellules, in order to be conveyed to the liver, and there to be mixed with the blood brought thither from the spleen, passes in lesser quantities than usual : whereby the blood in the *vena portarum* is not rendered thin and fluid enough. In fine, the consequence of the mesentery being affected is, that through the obstruction of its glands, and the subsequent deficiency of the lymph, which they ought to secrete for the dilution of the chyle ; this liquor becomes too thick, and less proper for nutrition. Hence it manifestly appears, that in this disease the blood and humors grow thick and sluggish, and are rendered unfit for their respective motions, and the uses of life.

THIS disease, so various in appearance, is chiefly owing to two causes, rest of body, and agitations of mind : by the former the humors are rendered too sluggish in their motions ; and by the latter the blood

at

at one time almost stagnates, and at another is driven on with excessive vehemence: and health must suffer in both cases.

THIS theory plainly points out the cure, which consists in purging off and correcting the humors. Yet the disease does not require strong cathartics; it is much safer to trust to the milder sort, such especially as attenuate the humors, and work by stool and urine at the same time. Of this kind are the *deobstruent pills*, *aloetics* blended with *saponaceous medicines*, *rhubarb*, *Glauber's salt*, and the like.

THE lentor and thickness of the humors are most conveniently removed by chalybeates, bitters and aromatics, especially in tinctures. And natural chalybeate waters are the most efficacious of all steel medicines.

IN fine all sorts of bodily exercise are necessary; and in particular it will be of great service to play at bowls or tennis, to toss the arms briskly to and fro with lead weights grasped in the hands; but nothing is better than riding daily on horseback.

I FINISH with a short story, which may seem ridiculous, but is true, and shews the whimsicalness, if I may use the expression, of this disease. A certain fellow of a college, by too much indulging a sedentary life, was so severely afflicted with this disorder, that he was at length obliged to take to his bed : and his hypochondriacism gradually rose to that pitch, that he declared himself at the point of death. In that fit he ordered his passing knell to be rung in a church not far from his chambers : which was accordingly done ; but in so bungling a manner, in his opinion, (for he had been a famous ringer in his younger days) that in a violent passion he jump'd out of bed, ran to the church, chid the sexton, and told him he would shew him the true way of ringing. Whereupon he grasped the rope, and fell to work with such vehemence, that he soon wrought himself into a muck sweat ; then returned to bed, in order to die contented. But he was disappointed ; for the exercise restored him to life and health. Thus, as *Hippocrates* formerly observed (1), *contraries are the remedies of contraries*.

CHAP.

(1) Τὰ ἐναντία τῶν ἐναντίων ἐστὶν ἰσχύματα. *De flatibus*, §. iii.



C H A P T E R XVIII.

Of the affections of the mind.

THE affections of the mind, commonly called *passions*, when vehement and immoderate, may be justly ranked among diseases; because they disorder the body various ways. The fact is indisputable; but in order to account for the manner in which it is brought about, it is necessary to have a clear and distinct notion of the nature of the soul, and of the law of its union with the body: a point of knowledge, to which, in my opinion, we shall never attain in this life. For such is the condition of our existence, that though we have it in our power to exert the faculties of our mind and our bodily strength with surprising promptitude; yet we are grossly ignorant of the manner and principle of all our actions, the knowledge of which seems quite unnecessary for leading a good and happy life.

How-

HOWEVER, we can easily perceive the effects of the commotions of the mind on our corporeal frame; nor is it any ways difficult to discern the alterations, which they occasion in the blood and humors. For some of them retard, others accelerate the motion of the circulating fluid; while others again act as checks and spurs alternately. Thus grief and fear slacken its pace; anger, indignation, and intemperate lust drive it on a full gallop: and a combination of these and the like commotions produces precipitate and sudden vicissitudes of slowness and quickness. And it may not be amiss to observe, that inordinate affections, dwelling long on the mind, frequently become tedious diseases according to their respective natures. So anxiety, despair, grief, cause melancholy; and anger ends in fury and madness. But the passions do not act with equal force on all individuals: their effect varies according to the diversity of constitutions both of mind and body: and even in the same individual, the disturbances, which they raise, are different at different times. So thoroughly incomprehensible is the construction of our fabric.

BUT

BUT there is another very wonderful circumstance, which I do not find recorded by any other medical writer but *Aretæus* (1). For it is not only true, as he observes, that the affections of the mind bring on bodily diseases; but these diseases likewise in their turn engender passions, and such sometimes as seem quite contrary to the nature of the disease. And this he exemplifies in a *dropsy*, which, though it be a most pernicious disease, yet inspires the sick with courage and patience; not from any alacrity, or good hopes, as happens to those, who are in prosperity, but from the very nature of the disease. A fact, says he, which we can only admire, without being able to discover its cause.

BUT all those things are performed by the intervention of the animal spirits, which make that great engin of the blood's motion, the heart, contract with lesser or greater force. Wherefore the pulse discovers those alterations even in their very beginning.

BUT

(1) *De causis et signis diuturnorum morborum, Lib. ii. cap. 1.*

BUT before I come to the medical treatment of the disorders of the mind, it may not be improper to take notice that the omnipotent Creator has given us these natural commotions for very wise ends ; which seem to be, that thereby we may be urged with a kind of impetuosity to shun evil, and embrace good. Wherefore the passions are not bad in themselves ; it is their excess that becomes vicious, when they rise to such an extravagant pitch as not to be governed by the dictates of reason.

Now, to assuage these swelling surges of the soul, is the business of philosophy. But, alas ! in this point all the precepts of the very Stoics commonly prove ineffectual ; for the followers of this sect frequently speak mighty things, but live not up to their doctrine :

- *Naturam expellas furca licet, usque recurret.*
Nature expell'd by force resumes her course.

HOWEVER, we ought to use our best endeavors ; for the more difficult the conflict, the more glorious will be the victory. It will possibly be said by some, that a physician should confine himself to the

the

the cure of bodily distempers, and leave these moral points to be controverted and settled by philosophers. Now, whatever force this advice may have in other cases, this before us seems to me of such moment, that I beg to be indulged in the liberty I take, of interspersing this medical work with some few incentives to virtue, which I have learned in their schools.

FIRST then we all have a natural propensity to pleasures; but these are of two very different sorts, the sensual and the mental. Sensual pleasures engross the greatest part of mankind; while those few only, *quos æquus amavit Jupiter*, are taken with the beauties of the mental. And the reason why so many run after pleasures of the first sort seems to be, because they hardly ever allow themselves an opportunity of tasting the sweets of an upright conscience, or of feeling that joy, which arises to a good man from the moderation of his irregular desires; and being entirely devoted to the gratification of their sensual appetites, they never give the least attention to the real charms of virtue. Wherefore whosoever desires to enjoy this solid happiness, ought to inure himself by degrees to the love of
virtue,

190 *Of the affections of the mind.*

virtue, and ever carefully to avoid adding fuel to the fire of his passions.

APPOSITE to these sentiments is that saying, which *Cicero* puts into the mouth of *Cato*, as by him received from the great *Archytas* of *Tarentum*; that nature never afflicted mankind with a more capital plague, than bodily pleasure; the eager desires of which spur on to enjoyment with ungovernable rashness (1). And the rest of what that great philosopher has written on this subject, must delight the mind of every wise man in the perusal. Wherefore *Virtue's* exclamation in *Silius Italicus* is very just:

*Quippe nec ira deum tantum, nec tela, nec
bestes ;*

*Quantum sola nocet, animis illapsa vo-
luptas* (2).

*Pleasure, by gliding on the minds of men,
More mischiefs hast thou wrought than
hostile arms,
Than wrath of gods.*

BUT,

(1) *De senectate, Cap. xii*

(2) *Punicorum, Lib. xv. ver. 94.*


BUT, as the due government of the passions strengthens the mind, so temperance in diet renders the body less exposed to these turbulent motions. And this rule holds good not only in those, who are naturally of a hot constitution; but even in those, who curb their appetites: because it keeps them in a state of tranquillity.

AND this is the way in general to resist these evils, or at least to diminish their effects. But when they have taken deep root in the body, each of them requires its own proper remedies. In those commotions, which check the course of the vital humors, spurs are necessary; but curbs, when they gallop too fast. The *strong-smelling gums, castor volatile salts and spirits extracted from animals*, and things of this kind, are very convenient *stimuli*. Blood-letting, keeping the body open, *nitre*, and all other coolers restrain the impetuosity of the blood. But it is of the utmost consequence to frequent the company, and follow the advice, of persons of fortitude and wisdom: for in every stage and state of life great is the power of example, whereby we insensibly learn to give ear to reason, and govern our passions; which, unless brought into

into intire subjection, will become our tyrants.

BUT as for those, who would have us to be entirely devoid of passions, and to suppress all the affections of mind, as if they were so many evils; they certainly have a wrong notion of the wisdom and goodness of the almighty Creator, who has inserted, and as it were interwoven, them into our frame for excellent purposes: for they are not only beneficial to individuals upon many occasions, as I have already said; but even necessary for keeping up society and connections between mankind.





CHAPTER XIX.

Of the diseases of women.

ON the diseases of women there seems to be the less necessity of saying much, because a number of authors have taken vast pains in their description and cure. Yet, to avoid the censure of neglecting that lovely sex, I will briefly touch on a few points relating to their ailments; beginning by those, which are often the consequences of a single life. Of these the most frequent is

SECTION I.

The suppression of the menstrual discharges.

THE common cause of the stoppage of the menstrual discharges is the blood's lentor; whereby this fluid becomes incapable of forcing the *sphincters* of the ducts destined by nature for this evacuation. For it is not from the bursted arteries of the *uterus*, which is the common opinion, that

K

the

the blood issues every month, but from vessels peculiarly appropriated to this office. And this lentor or thickness of the blood changes the lively color of the face into a greenish pale and wan complexion.

THE proper medicines in this distemper are those, which are capable of encreasing the blood's circulation, and attenuating the viscid humors: and such are all *bitters*, joined with *aromatics*, as also many preparations of *steel*. But to these ought to be premised blood-letting, and cathartics blended with *calomel*. The *tinctura sacra* is also an excellent medicine.

BUT of all the most powerful *emmenagogues*, I have found so singular a virtue in *black hellebore*, that I hardly remember it ever failed answering my expectations. My way of ordering it is, a tea spoonfull of *tincture of black hellebore* in a glass of warm water, to be taken twice a day. And I have observed this remarkable circumstance; that whenever, either from a bad conformation of the parts, or any other cause, this medicine had not the desired effect, the blood was forced out through some other passages: which is a manifest proof of the great power

power of this medicine in spurring the blood forward.

SECTION II.

The excess of the menstrual discharges.

BUT likewise the menstrual discharges frequently run to excess. In that case the flux is to be restrained: which, after letting blood, is effected both by those medicines, which condense and inspissate the blood; and by those, which allay its heat. Of the first sort the principal are such as participate of *vitriol* or *alum*; especially the *tincture of roses*; or a powder composed of *alum* three parts, and *dragon's blood* one part, melted together. But the heat of the blood, and its consequence the flux, is more powerfully checked by the *Peruvian bark*, than by any other medicines whatsoever.

SECTION III.

The fluor albus.

THE *fluor albus* is a discharge of a whitish gleety matter by the natural parts of the sex. This humor issues sometimes from the vessels of the *uterus*, and sometimes from

the glands of the *vagina*. In the former case this discharge is suppressed during the time of the menstrual courses; in the latter it subsists with them, and continues even in the time of pregnancy.

IN both species of the disease the principal intention ought to be directed toward mending the habit of body, from some fault in which they derive their origin: but when the seat of the distemper is in the *vagina*, it will moreover require topical applications.

WHEREFORE, generally speaking, it will be proper to begin the cure by giving a vomit, especially with *ipécacouba* wine. Frequent purging is indicated, chiefly with *rhubarb*; which may be taken either in substance, with the addition of aromatics, and in some cases of a little *calomel* now and then; or in the *tincture of rhubarb in wine*. And the laxity of the fibres requires astringents, particularly such as have *steel* in their composition.

As to external or topical remedies, which, I have said, are necessary, when the *vagina* is the seat of the disease; we ought carefully to avoid applying all such as are powerful

powerful repellers of the peccant humor: for those only are serviceable, which deterge and heal the little ulcers of that membrane. For my part, I have often, with great success, ordered the patient to inject a small quantity of *Bates's aqua aluminosa*, or of the *camphorated vitriolic water*, with a little *Egyptian boney* added to either, into the *vagina* through a proper syringe, at repeated times. And it will be of some service to fumigate the *vagina* now and then with a powder, made of equal parts of *frankincense*, *mastic*, *amber*, and *cinnabar of antimony*, thrown on burning coals.

SECTION IV.

The hysterical disease.

THERE is no disease so vexatious to women as that called hysterical. It is common to maids, wives, and widows; and although it may not be attended with great danger, yet it is frequently very terrifying: and moreover it sometimes deprives them of their senses as effectually, as if they had been seized with an epileptic fit.

WHEN a woman has fallen into an hysterical fit, blood-letting will be of use, if she

has strength to bear it ; if not, cupping glasses are to be applied to her groins or hips. But if she continues long in it, it will be proper to put the snuff of a candle, or some other thing of a foetid smell to her nostrils, in order to rouse her. In the meantime her thighs and legs ought to be rubbed.

WHEN she is recovered from the fit, proper means must be used to prevent a relapse. If she be liable to obstructions, and not regular, the menstrual discharges are to be promoted. The *strong-smelling gums* and *steel* medicines are very serviceable : and it is beneficial to use exercise. But the disturbances of the mind generally require proper remedies.

IN fine *Hippocrates*, after prescribing *castor* and many other medicines, wisely says, that a woman's best remedy is to marry and bear children (1).

(1) Ἄριστον δὲ ἐν γαστρὶ ἔχειν τὴν δὲ παρθένον πείθειν
ἐννοικεῖν ἀνδρὶ. *De morbis mulierum, Lib. ii. sect.*

SECTION V.

Difficult birth.

HUMANITY prompts us to give what assistance we can, besides the manual operation, to the sex in hard labor. For although provident nature has taken such good care for the propagation of the human species, that the labor pains are seldom attended with much danger; yet it sometimes happens, that the birth is very difficult and tedious. And this difficulty proceeds from many different causes, with which those who are truly skilful in the *obstetrical* art are not unacquainted, and therefore they manage accordingly. But there is one case, in which they are often at a loss what to do; and that is, when the lying-in woman is long seized with false pains, resembling those of the colic. When this happens, it is proper to give a grain or two of *opium*; whereby those pains which rather hinder than promote the delivery, are appeased; and then nature thus relieved does her work effectually. It is likewise of some moment in this case to know, that the opiate relaxes and opens the uterine parts, as it does all others that are in a state of constriction or tension.



CHAPTER XX.

Of venereal diseases.

THE venereal infection, that bitter scourge of unlawful embraces, would have proved the reproach of physicians; had not *quick-silver* been happily found to be its antidote.

THE nature, history, and progress of the disease have been so amply and elegantly described by the learned *Abruc* (1), that nothing more can be required on that head. But as to the manner, in which this ponderous fluid operates in the body, I think I have clearly explained it in another place (2), with some necessary cautions annexed. Wherefore the only thing now remaining is, to make a few remarks on a disorder or two, which are the consequences, either of the disease itself, or of a bad cure.

AND

(1) *De morbis venereis.* Paris 1740.

(2) *Essays on poisons*, 1747, *Essay*. iv.

AND first that discharge of a mucous humor commonly called a *gleet*, which sometimes succeeds a *virulent gonorrhoea*, is very troublesome and obstinate. It proceeds both from the *vesiculæ seminales* and the *prostate* gland, by the erosion of the orifices of their ducts from the acrimony of the morbid humor; and is most commonly the result of an ill-judged method of curing the *gonorrhoea* with violent cathartics, which destroy the natural tone of the fibres.

NOTHING is more common among practitioners in this case, than to administer *balsamics*, with a view of strengthening the parts; but generally without success. It has been my practice for many years past to order the following tincture; and as I found it very efficacious, I have recommended it to a number of physicians and surgeons.

Take of *rhubarb* three drachms; of *gum guaiacum* a drachm and half; of *shell lake* a drachm; of *cantharides* bruised two drachms; of *cochineal* half a drachm: infuse these ingredients in a pint and half of

K 5

rectified

rectified spirits of wine, and strain off.

OF this let the patient take from thirty to fifty drops (that is, as much as can be given without danger of bringing on a strangury) morning and night in a glass of warm water.

A HECTIC fever is now and then the consequence of a long salivation. In this case a decoction of the *woods of guaiacum* and *sassafras*, and the *roots of china* and *sarsaparilla*, with a little *liquorice*, and *coriander seeds*, is to be drank plentifully, mixed with *milk*. And the patient should continue this course, till he has recovered strength and flesh.

LASTLY it may not be amiss to admonish, that the most proper time for ordering a salivation is, when either pocky eruptions have for some time appeared on the body, or ulcers especially in the mouth and throat; and the bones are not yet become carious. For when they are actually foul, there is reason to apprehend, that their *lamellæ* may be broke asunder by the ponderosity of the mercurial globules. Wherefore it is safer to protract the cure by a more sparing use of this medicine, than to hurry it on by a contrary practice.



CHAPTER XXI.

Of diseases, which come upon, or are changed into, others.

IT is of great moment, both for the benefit of the patient, and the honor of the physician, to know what diseases come upon, or are changed into others. Wherefore I will briefly mention some of these.

AUTHORS indeed have raised great disputes on the causes of these changes: but they are certainly different according to the nature of the respective diseases. For sometimes the consent, and a certain affinity, of the affected parts with others not yet affected, cause the disease to pass from the former to the latter. More frequently the vicinity of the parts makes the evil to spread from one to another. But most commonly such is the nature of the disease, that it terminates in another, either by way of *crisis*, or through the foulness of the habit. Out of a number
of

204 *Of diseases, which come upon,*
of examples, which I could produce, I shall
select some few.

THROUGH the consent of the head and stomach, when this is loaded with phlegm, that is seized with giddiness; and on the other hand, the repletion or other injury of the brain is attended with a sickness at stomach. Through a similar affinity between the liver and intestines, colic pains are often succeeded by a jaundice; and a jaundice sometimes occasions a colic, by pouring sharp bile into the guts. And such is the connection of the *uterus* with many other parts, that *Hippocrates* pronounced *this organ to be the cause of all diseases in women* (1). Now these parts are chiefly the head, lungs, and stomach; and the instruments of this sympathy are the animal spirits, which being hurried by the passions, either convey the disorders of the womb to the rest of the body, or communicate the distempers of the body to that organ.

The vicinity of the parts, which I have alledged as another cause of the succession of diseases, takes place chiefly in inflammations, by the translation of the humor to the adjacent


(1) *De morbis mulierum, Lib. ii.*

adjacent part. Thus a pleurisy becomes a peripneumony; the iliac passion supervenes a strangury; the disorders of the kidneys spread to the loins; and the pains in the loins are communicated to the kidneys.

IN fine the third cause which I have assign'd for the supervention or transition of diseases, is the very nature of these diseases; which as it is various, so it produces its effect various ways. The gout sometimes turns into the colic; and the colic into the gout. Varicose swellings of the veins supervening pains in the joints indicate the distemper going off. An apoplexy is succeeded by a palsy; and this paralytic seizure of the nerves, whether of the whole body, or of some particular part, is the *crisis* of the apoplectic fit. But if from the paralytic limbs the disorder returns to the head, death is generally the physician. Difficulty of breathing, of long continuance, gives rise to a dropsy in the breast as well as in the belly. An *anasarca* affords great reason to apprehend an *ascites*: and melancholy of long standing is frequently succeeded by an epilepsy, which is hardly within the power of art to remove.

HIPPOCRATES collected a great number of observations to this purpose, and upon them built the divine art of prognostic in diseases, to which I refer my readers. Wherefore I quit the subject with this admonition, that although the causes which I have enumerated, often exert their power singly; yet it commonly happens, that more than one of them concur in effecting those successions and transitions of diseases.





CONCLUSION.

Of the regimen of life.

I HOPE it will not be thought inconsistent with the scope of this treatise on the diseases of the human body, to subjoin, by way of conclusion, some short rules for the management of persons in health, through the different stages of life. Although indeed this task seems to be rendered almost superfluous by the precepts delivered by *Celsus* (1): which whosoever will observe, with due regard to the difference of climates and manner of living now and in the time of that wise author; most certainly, to use his own words, *will not in good health squander the resources of infirmities* (2).

FOR

(1) *Lib. i. cap. 1, 2, 3.*

(2) *In secunda valetudine adversæ præsidia non consumet.*

FOR such is the natural constitution of the body of man, that it can easily bear some changes and irregularities without much injury: had it been otherwise, we should be almost constantly put out of order by every slight cause. This advantage arises from those wonderful communications of the inward parts, whereby, when one part is affected, another comes immediately to its relief. Thus when the body is too full and overloaded, nature causes evacuations through some of the outlets. And for this reason it is, that diseases from inanition are generally more dangerous than from repletion; because we can more expeditiously diminish than increase the juices of the body. Upon the same account also, though temperance be beneficial to all men, the ancient physicians advised persons in good health, and their own masters to indulge a little now and then, by eating and drinking more plentifully than usual. But of the two, intemperance in drinking is safer than in eating. And if a person has committed excess in the latter, cold water drank upon a full stomach will help digestion; to which it will be of service to add *lemon juice* or *elixir of vitriol*; if he has eaten high-seasoned

soned things, rich sauces, &c. Then let him sit up for some little time, and afterwards sleep. But if a man happens to be obliged to fast, he ought to avoid all laborious work. From satiety it is not proper to pass directly to sharp hunger, nor from hunger to satiety : neither will it be safe to indulge absolute rest immediately after excessive labor, nor suddenly fall to hard work after long idleness. In a word therefore all changes in the way of living should be made by degrees.

It is also beneficial to vary the scenes of life, to be sometimes in the country, sometimes in town ; to go to sea, to hunt, to be at rest now and then, but more frequently to use exercise : because inaction renders the body weak and listless, and labor strengthens it. But a mean is to be observed in all these things, and too much fatigue to be avoided : for frequent and violent exercise overpowers the natural strength, and wastes the body ; but moderate exercise ought always to be used before meals. Now of all kinds of exercise riding on horseback is the most convenient ; or, if the person be too weak to bear it, riding in a coach, or at least in a litter : next follow fencing, playing at ball, running

ning, walking. But it is one of the inconveniences of old age, that there is seldom sufficient strength for using bodily exercise, though it be extremely requisite for health. Wherefore frictions with the flesh-brush are necessary at this time of life, which should be performed by the person himself, if possible ; if not by his servants.

SLEEP is the sweet soother of cares, and restorer of strength ; as it repairs and replaces the wastes that are made by the labors and exercises of the day. But excessive sleep has its inconveniences ; for it blunts the senses, and renders them less fit for the duties of life. The proper time for sleep is the night, when darkness and silence invite and bring it on : day sleep is less refreshing. Which rule if it be proper for the multitude to observe ; much more is the observance of it necessary for persons addicted to literary studies, whose minds and bodies are more susceptible of injuries.

THE softer and milder kinds of aliment are proper for children, and for youths the stronger. Old people ought to lessen the quantity of their food, and encrease that of
their

their drink. But yet some allowance is to be made for custom, especially in the colder climates, like ours: for as in these the appetite is keener, so is the digestion better performed.

Physicians are agreed, that copulation,
When age adult and high-braced nerves
invite,

Should neither be immod'rately desir'd,
Nor dreaded to excess. The good old man
Is by his tame frigidity admonish'd,
Not to engage in the dull drudgery,
Mistaken for enchanting scenes of pleasure;
Lest thus he snap his feeble thread of life.

But what more base, more noxious to the
body,

Than by the power of fancy to excite
Such lewd ideas of an absent object,
As rouse the organs, form'd for nobler ends,
To rush into th' embraces of a phantom,
And do the deed of personal enjoyment!

In fine this truth ought to be deeply
imprinted in every mind, that is, and in-
deed all other,

Voluptates commendat rarior usus.

Pleasures are brighten'd by a sparing use.

For

FOR my part, after mature consideration, I am long since come to this way of thinking. That although pleasures, riches, power, and other things which are called the gifts of fortune, seem to be dealt out to mankind with too much partiality; yet if we take in the whole compass of the matter, we shall find a greater degree of equality of those things, which constitute real happiness, than is generally imagined. People of low condition for the most part enjoy the common advantages of life more commodiously than those of the highest rank. Wholesome food is acquired by moderate labor; which likewise mends the appetite and digestion: hence sound sleep, uninterrupted by gnawing cares, refreshes the wearied limbs; a flock of healthy children fill the cottage; the sons grow robust, and execute the father's task, making his hoary locks sit comfortable on him. How vastly inferior to these blessings are the vain delicacies of most persons of affluent fortunes, which are closely attended with real evils. In order to get down their food, their stomachs require high sauces, which heat and corrupt the blood, and render the body obnoxious to distempers: the debauches of the day disturb their rest by night; and in punishment for their vices,

their

their sons, the great ornament and support of families, contract diseases in their mother's womb; with which they are afflicted through the whole course of a languid life, which seldom reaches to old age. They are likewise frequently racked with anxieties for obtaining honors and splendid titles, so as to be despoiled of the comforts, which they might reap from their plentiful possessions, by the vain desire of new acquisitions. Wherefore

—————*Horum*

Semper ego optarim pauperrimus esse bonorum (1).

*I always wish to be extremely poor
In wealth like this.*

But there is one great inconvenience more attending high living, that by over-loading the body the faculties of the soul are clogged, and the passions set all on fire, whereas on the contrary the slender and homely diet of the poor and laborious neither oppresses the strength of body, nor supplies the vices with fuel. Therefore, unless prudence be a constant attendant on opulence,

Vivitar

(1) *Horat. Satyr. i. ver. 78.*

Vivitur exiguo melius.

'Tis better living on a slender fortune.

Nor is nature to be deemed an unjust step-mother, but a most provident and beneficent parent.

UPON the whole, it behoves a wise man in every stage of life,

————— *Servare modum, finemque tenere,
Naturamque sequi. (1).*

————— *To hold the golden mean,
To keep the end in view, and follow nature.*

But whosoever forms a right judgment of human nature, will certainly find, that as some men are vastly superior to others in the endowments of the mind, and yet, a sad reflection! even the best minds are blended with some degree of depravity; so the most healthy bodies are frequently afflicted with great infirmities: and these being the seeds of death, ought to put us in mind of the shortness of this life, and of the propriety of this expression of *Lucretius* :

(1) *Lucan. Lib. ii. ver. 381.*

Vita: que

*Vitaque mancupio nulli datur, omnibus
usu (1).*

None have a right to life, all to its use.

and likewise that there is no absurdity in
this saying of *Hippocrates* :

Ὅλος ἄνθρωπος ἐκ γενετῆς νόσος ἐστίν. (2)


*The whole man from his birth is a di-
sease.*

(1) *Lib iii. ver 984.*

(2) *Epist. ad Damaget.*

The E N D.





Groy

John Groy

John

Groy

A. XXXI: Mea

4/

36150/A

Q.

